

411517N

GOLDEN WARM WHITE



General Information

| | |
|-----------------|-------------------|
| Material number | 411517N |
| Type | fairy lights |
| Product segment | Dekoration (Rest) |
| Theme | Star Trading |

Dimensions

| | |
|--------------------------|------|
| Article Height (in mm) | 2000 |
| Article Diameter (in mm) | 70 |
| Net Weight (in kg) | 0.53 |

Material & Colour

| | |
|----------------------|-------------|
| Enclosure Material | plastic |
| Enclosure Colour | green |
| Cable Colour | green |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | transparent |

Functionality

| | |
|-------------|----------------|
| Switch Type | without switch |
| Battery | No |

411517N

GOLDEN WARM WHITE




Technical Information

| | |
|-------------------|------------|
| Protection Degree | IP44 |
| Operation Voltage | 24V DC |
| max. Wattage (1) | 360X0,064W |

Illuminant 1

| | |
|-----------------------|------------------|
| Socket Type (1) | LED |
| Illuminant Type (1) | LED |
| Illuminant incl. (1) | Inclusive |
| Kelvin Complete | 2000K |
| Light colour Complete | EXTRA WARM WHITE |



360X0
.064W

IP44

Technical changes reserved

2/2



Contact | Support
eglo.com/en/eglo-worldwide

410835N

CRISPY ICE WHITE



General Information

| | |
|-----------------|-------------------|
| Material number | 410835N |
| Type | fairy lights |
| Product segment | Dekoration (Rest) |
| Theme | Star Trading |

Dimensions

| | |
|--------------------------|------|
| Article Height (in mm) | 1960 |
| Article Diameter (in mm) | 75 |
| Net Weight (in kg) | 0.53 |

Material & Colour

| | |
|----------------------|-------------|
| Enclosure Material | plastic |
| Enclosure Colour | green |
| Cable Colour | green |
| Glass/Shade Material | plastic |
| Glass/Shade Colour | transparent |

Functionality

| | |
|-------------|----------------|
| Switch Type | without switch |
| Battery | No |

410835N

CRISPY ICE WHITE



Technical Information

| | |
|-------------------|------------|
| Protection Degree | IP44 |
| Operation Voltage | 24V DC |
| max. Wattage (1) | 360X0,064W |

Illuminant 1

| | |
|-----------------------|------------|
| Socket Type (1) | LED |
| Illuminant Type (1) | LED |
| Illuminant incl. (1) | Inclusive |
| Kelvin Complete | 3000K |
| Light colour Complete | WARM WHITE |

| | | | |
|--|--|---|---|
|  LED |  warm WHITE |  |  |
| 360X0,064W | lm | | IP44 |

Technical changes reserved



Contact | Support
eglo.com/en/eglo-worldwide