



COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information



Trade mark	EGLO
Material number	205959
Type	lightbulb
Light colour Complete	WHITE
Illuminant Type (1)	B22-LED-G125
EAN/UPC	9008606292172

Dimensions

Article Diameter (in mm)	125
Article Length (in mm)	170

Technical Information

Equivalent power (W)	42
item-number LED-board (1)	205959
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	B22
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	5
Rated useful lumen	500
Beam angle (°) - at measurement	360
Color temperature (K)	5000
Nominal wattage (W)	5
Chromaticity coordinates x (1)	0,346
Chromaticity coordinates y (1)	0,359
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2





COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information



Trade mark	EGLO
Material number	205956
Type	lightbulb
Light colour Complete	WHITE
Illuminant Type (1)	E27-LED-G125
EAN/UPC	9008606292141

Dimensions

Article Diameter (in mm)	125
Article Length (in mm)	172

Technical Information

Equivalent power (W)	42
item-number LED-board (1)	205956
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	5
Rated useful lumen	500
Beam angle (°) - at measurement	360
Color temperature (K)	5000
Nominal wattage (W)	5
Chromaticity coordinates x (1)	0,346
Chromaticity coordinates y (1)	0,359
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2





COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources



EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	205427
Type	lightbulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	B22-LED-G125
EAN/UPC	9008606246922

Technical Information

Equivalent power (W)	42
item-number LED-board (1)	205427
Lighting Technology	LED
Directional Light source	No
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	5
Rated useful lumen	500
Beam angle (°) - at measurement	360
Color temperature (K)	2700
Nominal wattage (W)	5
Chromaticity coordinates x (1)	0,463
Chromaticity coordinates y (1)	0,42
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2





COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	205426
Type	lightbulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-G125
EAN/UPC	9008606246915

Technical Information

Equivalent power (W)	42
item-number LED-board (1)	205426
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	5
Rated useful lumen	500
Beam angle (°) - at measurement	360
Color temperature (K)	2700
Nominal wattage (W)	5
Chromaticity coordinates x (1)	0,463
Chromaticity coordinates y (1)	0,42
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2

