



COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information



Trade mark	EGLO
Material number	205441
Type	lightbulb
Light colour Complete	WHITE
Illuminant Type (1)	B22-LED-A60
EAN/UPC	9008606247042

## Dimensions

Article Diameter (in mm)	60
Article Length (in mm)	110

## Technical Information

Equivalent power (W)	60
item-number LED-board (1)	205441
Lighting Technology	LED
Directional Light source	No
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	8
Rated useful lumen	806
Beam angle (°) - at measurement	360
Color temperature (K)	5000
Nominal wattage (W)	7,5
Chromaticity coordinates x (1)	0,346
Chromaticity coordinates y (1)	0,359
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2





COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information



Trade mark	EGLO
Material number	205439
Type	lightbulb
Light colour Complete	WHITE
Illuminant Type (1)	E27-LED-A60
EAN/UPC	9008606247035

## Dimensions

Article Diameter (in mm)	60
Article Length (in mm)	110

## Technical Information

Equivalent power (W)	60
item-number LED-board (1)	205439
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	8
Rated useful lumen	806
Beam angle (°) - at measurement	360
Color temperature (K)	5000
Nominal wattage (W)	7,5
Chromaticity coordinates x (1)	0,346
Chromaticity coordinates y (1)	0,359
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2





COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information



Trade mark	EGLO
Material number	205438
Type	lightbulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	B22-LED-A60
EAN/UPC	9008606247028

## Dimensions

Article Diameter (in mm)	60
Article Length (in mm)	110

## Technical Information

Equivalent power (W)	60
item-number LED-board (1)	205438
Lighting Technology	LED
Directional Light source	No
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	8
Rated useful lumen	806
Beam angle (°) - at measurement	360
Color temperature (K)	2700
Nominal wattage (W)	7,5
Chromaticity coordinates x (1)	0,463
Chromaticity coordinates y (1)	0,42
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2





COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information

Trade mark	EGLO
Material number	205437
Type	lightbulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-A60
EAN/UPC	9008606247011

## Dimensions

Article Diameter (in mm)	60
Article Length (in mm)	110

## Technical Information

Equivalent power (W)	60
item-number LED-board (1)	205437
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	8
Rated useful lumen	806
Beam angle (°) - at measurement	360
Color temperature (K)	2700
Nominal wattage (W)	7,5
Chromaticity coordinates x (1)	0,463
Chromaticity coordinates y (1)	0,42
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,5
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,2

