



# 204741 BONDI



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	204741
EAN/UPC	9008606214594

## Dimensions

Article Diameter (in mm/in)	1220
Article Height (in mm/in)	334
Height - ceiling to bottom of blade (in mm/in)	284
Canopy Diameter (in mm/in)	150

## Fan

Motor Type	AC
Motor Wattage	56
Operation Voltage	220-240V, 50Hz
Enclosure Colour	titanium
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	titanium
Blade Material	ABS, UV Resistant
Blade Quantity	4
Blade pitch in degree	9, 5°
Adjustable Canopy	15
Downrods optional	204744, 204745

Performance	1 (low)	2	3
Wattage by air movement (1)	10	25	55
RPM (1)	90	160	235
Air Movement m3/Hr (1)	4152	9809	13390

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
Light adaptable	No
max. Wattage (1)	20W
Illuminant Material (1)	ET2887
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1936
Bulb-Dimmable	Yes

## Controls

optional controllers	Yes, 203633
----------------------	-------------

## Features

Function	control via wall switch 3-step dimming 3-step CCT indoor and covered outdoor area 3 speeds
----------	--

# 203622 BONDI



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	203622
EAN/UPC	9008606192045

## Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	334
Height - ceiling to bottom of blade in mm	284
Canopy Diameter (in mm)	150

## Fan

Motor Type	AC
Motor Wattage	56
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	4
Blade pitch in degree	9, 5°
Adjustable Canopy	10
Downrods optional	203628, 203629

## Performance

1 (low)

2

3

Wattage by air movement (1)	14.5	32.7	59.5
RPM (1)	90	160	235
Air Movement m3/Hr (1)	4152	9809	13390

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
Light adaptable	No
max. Wattage (1)	20W
Illuminant Material (1)	ET2887
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1936

## Controls


optional controllers	Yes, 203633
----------------------	-------------

## Features

Function	3-step dimming 3-step CCT indoor and covered outdoor area 3 speeds
----------	---



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	203623
EAN/UPC	9008606192052

## Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	334
Height - ceiling to bottom of blade in mm	284
Canopy Diameter (in mm)	150

## Fan

Motor Type	AC
Motor Wattage	56
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	4
Blade pitch in degree	9, 5°
Adjustable Canopy	10
Downrods optional	203631, 203632

## Performance

1 (low)

2

3

Wattage by air movement (1)	14.5	32.7	59.5
RPM (1)	90	160	235
Air Movement m3/Hr (1)	4152	9809	13390

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
Light adaptable	No
max. Wattage (1)	20W
Illuminant Material (1)	ET2887
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1936

## Controls

optional controllers	Yes, 203633
----------------------	-------------

## Features

Function	3-step dimming 3-step CCT indoor and covered outdoor area 3 speeds
----------	---