



General Information

Material number	94713
Type	wall/ceiling light
Product segment	Indoor
Theme	Bath
Energy efficiency class (EEI)	E

Dimensions

Article Height (in mm)	75
Article Width (in mm)	75
Article Length (in mm)	600
Net Weight (in kg)	1.13

Material & Colour

Enclosure Material	cast metal
Enclosure Colour	chrome
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP44
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	16W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	1900
Kelvin Complete	4000K
Light colour Complete	WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	16
Colour Tolerance (LED, SDCM)	<6





General Information

Material number	94714
Type	wall/ceiling light
Product segment	Indoor
Theme	Bath
Energy efficiency class (EEI)	F

Dimensions

Article Height (in mm)	75
Article Width (in mm)	75
Article Length (in mm)	900
Net Weight (in kg)	1.59

Material & Colour

Enclosure Material	cast metal
Enclosure Colour	chrome
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP44
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	8,3W
max. Wattage (2)	16W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	850;1600
Kelvin Complete	4000K
Light colour Complete	WHITE;WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Energy efficiency class (EEI)	F
Dimmable	No
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	24,3
Colour Tolerance (LED, SDCM)	<6

Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	850;1600
Kelvin Complete	4000K
Light colour Complete	WHITE;WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	No
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included
Rated Lamp Power (0,1W precision)	24,3
Colour Tolerance (LED, SDCM)	<6



