


20537815
ILUKA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20537815
EAN/UPC	9008606239191

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	338
Height - ceiling to bottom of blade in mm	299
Canopy Diameter (in mm)	152

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS
Blade Colour (1)	brown rustic
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	13
Downrods optional	204347, 204349

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.3	5.5	10	15.5	27	40
RPM (1)	70	105	140	170	200	230
Air Movement m3/Hr (1)	2894	4860	6690	8740	10100	12640

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3814
Light colour Complete	TUNEABLE WHITE
Kelvin Complete	3000-5000K
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	timer CCT reversible 6 speeds
----------	--

20537802
ILUKA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20537802
EAN/UPC	9008606239184

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	338
Height - ceiling to bottom of blade in mm	299
Canopy Diameter (in mm)	152

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	13
Downrods optional	204347, 204349

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.3	5.5	10	15.5	27	40
RPM (1)	70	105	140	170	200	230
Air Movement m3/Hr (1)	2894	4860	6690	8740	10100	12640

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3814
Light colour Complete	TUNEABLE WHITE
Kelvin Complete	3000-5000K
Bulb-Dimmable	Yes

Controls


optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	timer CCT reversible 6 speeds
----------	--



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20537801
EAN/UPC	9008606239177

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	338
Height - ceiling to bottom of blade in mm	299
Canopy Diameter (in mm)	152

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS
Blade Colour (1)	white matt
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	13
Downrods optional	204346, 204348

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.3	5.5	10	15.5	27	40
RPM (1)	70	105	140	170	200	230
Air Movement m3/Hr (1)	2894	4860	6690	8740	10100	12640

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3814
Light colour Complete	TUNEABLE WHITE
Kelvin Complete	3000-5000K
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	timer CCT reversible 6 speeds
----------	--