



## General Information

Material number	204765
Type	wall/ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

## Dimensions

Article Height (in mm)	42
Article Width (in mm)	120
Article Length (in mm)	1190
Net Weight (in kg)	1.3

## Material & Colour

Enclosure Material	aluminium
Enclosure Colour	white
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Function	LED not replaceable change of the Kelvin on the product
Battery	No

## Technical Information

Protection Degree	IP40
Protection Class	1
Dimmable	No
max. Wattage (1)	50W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	5000
Kelvin Complete	3000K, 4000K, 5000K
Light colour Complete	TRICOLOUR
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	No
Rated Lamp Power (0,1W precision)	50
Colour Tolerance (LED, SDCM)	<6





## General Information

Material number	204766
Type	wall/ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

## Dimensions

Article Height (in mm)	42
Article Width (in mm)	120
Article Length (in mm)	1190
Net Weight (in kg)	1.33

## Material & Colour

Enclosure Material	aluminium
Enclosure Colour	white
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	sensor
Function	LED not replaceable change of the Kelvin on the product
Battery	No

## Technical Information

Protection Degree	IP40
Protection Class	1
Dimmable	No
max. Wattage (1)	50W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	5000
Kelvin Complete	3000K, 4000K, 5000K
Light colour Complete	TRICOLOUR
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	No
Rated Lamp Power (0,1W precision)	50
Colour Tolerance (LED, SDCM)	<6





## General Information

Material number	204763
Type	wall/ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

## Dimensions

Article Height (in mm)	36
Article Width (in mm)	80
Article Length (in mm)	1190
Net Weight (in kg)	0.95

## Material & Colour

Enclosure Material	aluminium
Enclosure Colour	white
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Function	LED not replaceable change of the Kelvin on the product
Battery	No

## Technical Information

Protection Degree	IP40
Protection Class	1
Dimmable	No
max. Wattage (1)	40W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	4000
Kelvin Complete	3000K, 4000K, 5000K
Light colour Complete	TRICOLOUR
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	No
Rated Lamp Power (0,1W precision)	40
Colour Tolerance (LED, SDCM)	<6

