


204749 NOOSA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	204749
EAN/UPC	9008606214679

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Motor Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	titanium
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	titanium
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	204751, 204752

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	4.3	7.2	10.2	15.1	24.9	37.4
RPM (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

204233 NOOSA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	204233
EAN/UPC	9008606201396

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Motor Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	dark natural timber
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	202979, 202977

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	4.3	7.2	10.2	15.1	24.9	37.4
RPM (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

Controls


optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. timer CCT Night Mode 6 speeds
----------	--



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	204232
EAN/UPC	9008606201389

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Motor Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	teak
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	202979, 202977

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	4.3	7.2	10.2	15.1	24.9	37.4
RPM (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


Features

Function	remote control incl. timer CCT Night Mode 6 speeds
----------	--

204231 NOOSA



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	204231
EAN/UPC	9008606201372

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	295
Height - ceiling to bottom of blade (in mm/in)	285
Canopy Diameter (in mm/in)	170

Fan

Motor Type	DC
Motor Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	bamboo
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	203376, 203375

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	4.3	7.2	10.2	15.1	24.9	37.4
RPM (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. timer CCT Night Mode 6 speeds
----------	--



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	202973
EAN/UPC	9008606185191

Dimensions

Article Diameter (in mm)	1520
Article Height (in mm)	295
Height - ceiling to bottom of blade in mm	285
Canopy Diameter (in mm)	170

Fan

Motor Type	DC
Motor Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	203376, 203375

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	4.3	7.2	10.2	15.1	24.9	37.4
RPM (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011

Controls



optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	202972
EAN/UPC	9008606185184

Dimensions

Article Diameter (in mm)	1520
Article Height (in mm)	295
Height - ceiling to bottom of blade in mm	285
Canopy Diameter (in mm)	170

Fan

Motor Type	DC
Motor Wattage	38
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	202979, 202977

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	4.3	7.2	10.2	15.1	24.9	37.4
RPM (1)	60	90	111	131	150	178
Air Movement m3/Hr (1)	3591	6032	7638	9526	10957	14346

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--