


# 204803 NOOSA



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	204803
EAN/UPC	9008606215867

## Dimensions

Article Diameter (in mm)	1168
Article Height (in mm)	295
Height - ceiling to bottom of blade in mm	285
Canopy Diameter (in mm)	170

## Fan

Motor Type	DC
Motor Wattage	22
Operation Voltage	220-240V, 50Hz
Enclosure Colour	titanium
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	titanium
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	204751, 204752

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.4	3.4	4.5	7	10.9	20
RPM (1)	62	89	110	140	167	200
Air Movement m3/Hr (1)	3230	5780	7390	9530	11420	14620

### Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011

### Controls


optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

### Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	204802
EAN/UPC	9008606215850

## Dimensions

Article Diameter (in mm)	1168
Article Height (in mm)	295
Height - ceiling to bottom of blade in mm	285
Canopy Diameter (in mm)	170

## Fan

Motor Type	DC
Motor Wattage	22
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	202979, 202977

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.4	3.4	4.5	7	10.9	20
RPM (1)	62	89	110	140	167	200
Air Movement m3/Hr (1)	3230	5780	7390	9530	11420	14620

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


## Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

# 204801 NOOSA



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	204801
EAN/UPC	9008606215843

## Dimensions

Article Diameter (in mm)	1168
Article Height (in mm)	295
Height - ceiling to bottom of blade in mm	285
Canopy Diameter (in mm)	170

## Fan

Motor Type	DC
Motor Wattage	22
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS, UV Resistant
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	16°
Adjustable Canopy	8
Downrods optional	203376, 203375

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.4	3.4	4.5	7	10.9	20
RPM (1)	62	89	110	140	167	200
Air Movement m3/Hr (1)	3230	5780	7390	9530	11420	14620

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	18W
Illuminant Material (1)	ET2855
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2011

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--