




Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523602
EAN/UPC	9008606234110

## Dimensions

Article Diameter (in mm/in)	1120
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	14,1
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	steel
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.5	2.2	3.1	4.6	7	14.1
RPM (1)	70	100	130	160	190	250
Air Movement m3/Hr (1)	2093	3684	4940	6651	7903	9270

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---

# 20523601 SEACLIFF



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523601
EAN/UPC	9008606234103

## Dimensions

Article Diameter (in mm/in)	1120
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	14,1
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	steel
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.5	2.2	3.1	4.6	7	14.1
RPM (1)	70	100	130	160	190	250
Air Movement m3/Hr (1)	2093	3684	4940	6651	7903	9270

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls


optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523606
EAN/UPC	9008606234134

## Dimensions

Article Diameter (in mm/in)	1120
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	14,1
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	steel
Blade Colour (1)	light walnut
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.5	2.2	3.1	4.6	7	14.1
RPM (1)	70	100	130	160	190	250
Air Movement m3/Hr (1)	2093	3684	4940	6651	7903	9270

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523605
EAN/UPC	9008606234127

## Dimensions

Article Diameter (in mm/in)	1120
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	14,1
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	steel
Blade Colour (1)	Gessami Oak
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.5	2.2	3.1	4.6	7	14.1
RPM (1)	70	100	130	160	190	250
Air Movement m3/Hr (1)	2093	3684	4940	6651	7903	9270

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---