



Contact | Support  
[eglo.com/en/eglo-worldwide](https://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523702
EAN/UPC	9008606234158

## Dimensions

Article Diameter (in mm/in)	1320
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	29
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	steel
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.9	3.1	4.8	9.1	14.5	29
RPM (1)	70	100	130	160	190	235
Air Movement m3/Hr (1)	2591	4506	7196	8730	9574	11895

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523701
EAN/UPC	9008606234141

## Dimensions

Article Diameter (in mm/in)	1320
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	29
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	steel
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.9	3.1	4.8	9.1	14.5	29
RPM (1)	70	100	130	160	190	235
Air Movement m3/Hr (1)	2591	4506	7196	8730	9574	11895

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523706
EAN/UPC	9008606234172

## Dimensions

Article Diameter (in mm/in)	1320
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	29
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	steel
Blade Colour (1)	light walnut
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.9	3.1	4.8	9.1	14.5	29
RPM (1)	70	100	130	160	190	235
Air Movement m3/Hr (1)	2591	4506	7196	8730	9574	11895

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20523705
EAN/UPC	9008606234165

## Dimensions

Article Diameter (in mm/in)	1320
Article Height (in mm/in)	258
Height - ceiling to bottom of blade (in mm/in)	229
Canopy Diameter (in mm/in)	189

## Fan

Motor Type	DC
Motor Wattage	29
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	steel
Blade Colour (1)	Gessami Oak
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable

## Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.9	3.1	4.8	9.1	14.5	29
RPM (1)	70	100	130	160	190	235
Air Movement m3/Hr (1)	2591	4506	7196	8730	9574	11895

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	12W
Illuminant Material (1)	ET3761
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1750
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. timer 3-step CCT SunSet dimming 5 speeds
----------	---