



20491604 STRADBROKE



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20491604
EAN/UPC	9008606233724

Dimensions

Article Diameter (in mm/in)	1220
Article Height (in mm/in)	318
Height - ceiling to bottom of blade (in mm/in)	270
Canopy Diameter (in mm/in)	142

Fan

Motor Type	DC
Motor Wattage	28
Operation Voltage	220-240V, 50Hz
Enclosure Colour	titanium
Enclosure Material	steel
Blade Colour (1)	titanium
Blade Material	ABS, UV Resistant
Blade Quantity	4
Blade pitch in degree	11
Adjustable Canopy	15
Downrods optional	20522304, 20522404

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.9	3	5.2	8.7	14.8	25.7
RPM (1)	65	110	142	175	210	250
Air Movement m3/Hr (1)	2250	4350	5610	7500	8470	10510

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3698
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2300
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


Features

Function	remote control incl. control via remote control timer 3-step dimming 3-step CCT 6 speeds
----------	---

20491601 STRADBROKE



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20491601
EAN/UPC	9008606233700

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	318
Height - ceiling to bottom of blade in mm	297
Canopy Diameter (in mm)	142

Fan

Motor Type	DC
Motor Wattage	28
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	steel
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	4
Blade pitch in degree	11
Downrods optional	20522301, 20522401

Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.8	2.9	5.1	8.8	14.8	22.5
RPM (1)	65	110	142	175	210	250
Air Movement m3/Hr (1)	2250	4350	5610	7500	8470	10510

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3698
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1936
Bulb-Dimmable	Yes

Controls

optional controllers	No
----------------------	----



Features

Function	remote control incl. control via remote control timer 3-step dimming 3-step CCT 6 speeds
----------	---

20491602 STRADBROKE



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number 20491602
EAN/UPC 9008606233717

Dimensions

Article Diameter (in mm) 1220
Article Height (in mm) 318
Height - ceiling to bottom of blade in mm 297
Canopy Diameter (in mm) 142

Fan

Motor Type DC
Motor Wattage 28
Operation Voltage 220-240V, 50Hz
Enclosure Colour matte black
Enclosure Material steel
Blade Colour (1) black matt
Blade Material ABS, UV Resistant
Blade Quantity 4
Blade pitch in degree 11
Downrods optional 20522302, 20522402

Performance

	1 (low)	2	3	4	5	6
Wattage by air movement (1)	1.8	2.9	5.1	8.8	14.8	22.5
RPM (1)	65	110	142	175	210	250
Air Movement m3/Hr (1)	2250	4350	5610	7500	8470	10510

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3698
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	1936
Bulb-Dimmable	Yes

Controls

optional controllers	No
----------------------	----

Features

Function	remote control incl. control via remote control timer 3-step dimming 3-step CCT 6 speeds
----------	---