

# 20549717

## SURF



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



### General Information

Material number	20549717
EAN/UPC	9008606263714

### Dimensions

Article Diameter (in mm/in)	1220
Article Height (in mm/in)	309
Height - ceiling to bottom of blade (in mm/in)	300
Canopy Diameter (in mm/in)	158

### Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS
Blade Colour (1)	Burmese Teak
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581202, 20581302

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.5	3.5	7.5	14	24.5	38
RPM (1)	75	95	125	155	185	210
Air Movement m3/Hr (1)	3614	4954	7498	9702	11102	13130

### Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2423
Bulb-Dimmable	Yes

### Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

### Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

# 20549716 SURF



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20549716
EAN/UPC	9008606263707

## Dimensions

Article Diameter (in mm/in)	1220
Article Height (in mm/in)	309
Height - ceiling to bottom of blade (in mm/in)	300
Canopy Diameter (in mm/in)	158

## Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS
Blade Colour (1)	light oak
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581201, 20581301

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.5	3.5	7.5	14	24.5	38
RPM (1)	75	95	125	155	185	210
Air Movement m3/Hr (1)	3614	4954	7498	9702	11102	13130

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2423
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

# 20549701 SURF



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20549701
EAN/UPC	9008606263684

## Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	309
Height - ceiling to bottom of blade in mm	300
Canopy Diameter (in mm)	158

## Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS
Blade Colour (1)	white matt
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581201, 20581301

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.2	4.5	8.5	15.5	26.8	40
RPM (1)	75	95	125	155	185	210
Air Movement m3/Hr (1)	3614	4954	7498	9702	11102	13130

### Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K

### Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


### Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

**20549702**  
**SURF**



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20549702
EAN/UPC	9008606263691

## Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	309
Height - ceiling to bottom of blade in mm	300
Canopy Diameter (in mm)	158

## Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581202, 20581302

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	3.2	4.5	8.5	15.5	26.8	40
RPM (1)	75	95	125	155	185	210
Air Movement m3/Hr (1)	3614	4954	7498	9702	11102	13130

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--