


20550202

SURF



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20550202
EAN/UPC	9008606263851

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	309
Height - ceiling to bottom of blade (in mm/in)	291
Canopy Diameter (in mm/in)	158

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS
Blade Colour (1)	black matt
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581202, 20581302

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.5	3.5	7.5	14	24.5	38
RPM (1)	70	85	115	145	170	195
Air Movement m3/Hr (1)	4012	5556	7911	10519	12588	14194

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2423
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features


Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

20550201

SURF



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20550201
EAN/UPC	9008606263844

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	309
Height - ceiling to bottom of blade (in mm/in)	291
Canopy Diameter (in mm/in)	158

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS
Blade Colour (1)	white matt
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581201, 20581301

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.5	3.5	7.5	14	24.5	38
RPM (1)	70	85	115	145	170	195
Air Movement m3/Hr (1)	4012	5556	7911	10519	12588	14194

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2423
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

20550217
SURF



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20550217
EAN/UPC	9008606263875

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	309
Height - ceiling to bottom of blade (in mm/in)	291
Canopy Diameter (in mm/in)	158

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	ABS
Blade Colour (1)	Burmese Teak
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581202, 20581302

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.5	3.5	7.5	14	24.5	38
RPM (1)	70	85	115	145	170	195
Air Movement m3/Hr (1)	4012	5556	7911	10519	12588	14194

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2423
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--

20550216 SURF



Contact | Support
eglo.com/en/eglo-worldwide



General Information

Material number	20550216
EAN/UPC	9008606263868

Dimensions

Article Diameter (in mm/in)	1520
Article Height (in mm/in)	309
Height - ceiling to bottom of blade (in mm/in)	291
Canopy Diameter (in mm/in)	158

Fan

Motor Type	DC
Motor Wattage	40
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	ABS
Blade Colour (1)	light oak
Blade Material	ABS
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	20
Downrods optional	20581201, 20581301

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.5	3.5	7.5	14	24.5	38
RPM (1)	70	85	115	145	170	195
Air Movement m3/Hr (1)	4012	5556	7911	10519	12588	14194

Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET4008
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2423
Bulb-Dimmable	Yes

Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Features

Function	remote control incl. control via remote control timer CCT Night Mode 6 speeds
----------	--