

# 20522602 TORQUAY



Contact | Support  
[eglo.com/en/eglo-worldwide](https://eglo.com/en/eglo-worldwide)



## General Information

Material number	20522602
EAN/UPC	9008606233861

## Dimensions

Article Diameter (in mm/in)	1070
Article Height (in mm/in)	316
Height - ceiling to bottom of blade (in mm/in)	294
Canopy Diameter (in mm/in)	155

## Fan

Motor Type	DC
Motor Wattage	13
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte black
Enclosure Material	steel
Blade Colour (1)	black matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	13
Downrods optional	202979, 202977

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.3	3.3	4.6	6.3	8.8	11.2
RPM (1)	70	110	145	175	205	230
Air Movement m3/Hr (1)	2285	3933	5400	6307	7493	8665

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3734
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2300
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro


## Features

Function	remote control incl. control via remote control timer 3-step dimming 3-step CCT 6 speeds
----------	---

# 20522601 TORQUAY



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20522601
EAN/UPC	9008606233854

## Dimensions

Article Diameter (in mm/in)	1070
Article Height (in mm/in)	316
Height - ceiling to bottom of blade (in mm/in)	294
Canopy Diameter (in mm/in)	155

## Fan

Motor Type	DC
Motor Wattage	13
Operation Voltage	220-240V, 50Hz
Enclosure Colour	matte white
Enclosure Material	steel
Blade Colour (1)	white matt
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	13
Downrods optional	203376, 203375

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.3	3.3	4.6	6.3	8.8	11.2
RPM (1)	70	110	145	175	205	230
Air Movement m3/Hr (1)	2285	3933	5400	6307	7493	8665

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3734
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2300
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. control via remote control timer 3-step dimming 3-step CCT 6 speeds
----------	---

# 20522612 TORQUAY



Contact | Support  
[eglo.com/en/eglo-worldwide](http://eglo.com/en/eglo-worldwide)



## General Information

Material number	20522612
EAN/UPC	9008606233878

## Dimensions

Article Diameter (in mm/in)	1070
Article Height (in mm/in)	316
Height - ceiling to bottom of blade (in mm/in)	294
Canopy Diameter (in mm/in)	155

## Fan

Motor Type	DC
Motor Wattage	13
Operation Voltage	220-240V, 50Hz
Enclosure Colour	oil rubbed bronze
Enclosure Material	steel
Blade Colour (1)	red brown wood optics
Blade Material	ABS, UV Resistant
Blade Quantity	3
Blade pitch in degree	Variable
Adjustable Canopy	13
Downrods optional	20523212, 20523212

Performance	1 (low)	2	3	4	5	6
Wattage by air movement (1)	2.3	3.3	4.6	6.3	8.8	11.2
RPM (1)	70	110	145	175	205	230
Air Movement m3/Hr (1)	2285	3933	5400	6307	7493	8665

## Illuminant

Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Socket Type (1)	LED
max. Wattage (1)	20W
Illuminant Material (1)	ET3734
Light colour Complete	TRICOLOUR
Kelvin Complete	3000K, 4000K, 5000K
Lumen Complete	2300
Bulb-Dimmable	Yes

## Controls

optional controllers	No
Battery Quantity	2
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

## Features

Function	remote control incl. control via remote control timer 3-step dimming 3-step CCT 6 speeds
----------	---