
### Product Specifications


Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	24w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Triac / Phase cut Dimming
Warranty	3 Years Replacement*












### **Optional Havit Compatible Accessories**

lma	ge	Part Number	Description
18		HV9625	LED Dimmer - 300w Max





### **Product Ordering**

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3594T-BLK	3000k 4000k 5500k	1920lm 2040lm 2160lm	240v AC	180°	<b>TRI Colour</b> 24w Built in LED	9350418019370
	HV3594T-WHT	3000k 4000k 5500k	1920lm 2040lm 2160lm	240v AC	180°	<b>TRI Colour</b> 24w Built in LED	9350418019387

\*Items ordered after 01-01-2022


## Halo Aluminium Bluetooth RGBW Wall Light

### **Product Specifications**

Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	7w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Using APP or Remote (Supplied with fitting)
Warranty	3 Years Replacement*

RGB

**IP65** 




 $\circledast$ 


This fitting only requires a 2 core low voltage cable as RGBW Controller is installed internally into each fitting, Controller can also be removed and installed using any of our RGBW Controllers available though this will require a 5 core cable being run to each fitting.

### Product Ordering

- Touce of defining							
Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3591RGBW-BLK	RGB + 3000k RGBW	250lm	12v DC	180°	7w Built in LED	9350418019677
	HV3591RGBW-WHT	RGB + 3000k RGBW	250lm	12v DC	180°	7w Built in LED	9350418019684










### Product Specifications


Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	7w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Triac / Phase cut Dimming
Warranty	3 Years Replacement*












### **Optional Havit Compatible Accessories**

Image	Part Number	Description
21	HV9625	LED Dimmer - 300w Max





### **Product Ordering**

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3591T-BLK	3000k 4000k 5500k	540lm 550lm 560lm	240v AC	180°	<b>TRI Colour</b> 7w Built in LED	9350418019318
	HV3591T-WHT	3000k 4000k 5500k	540lm 550lm 560lm	240v AC	180°	<b>TRI Colour</b> 7w Built in LED	9350418019325

\*Items ordered after 01-01-2022

## Halo Aluminium Bluetooth RGBW Wall Light

### **Product Specifications**

Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Using APP or Remote
Warranty	3 Years Replacement*

RGB

**IP65** 

8


## s fitting only requires a 2 core low voltage cable as RGBW Controller is installed interr


This fitting only requires a 2 core low voltage cable as RGBW Controller is installed internally into each fitting, Controller can also be removed and installed using any of our RGBW Controllers available though this will require a 5 core cable being run to each fitting.

Product	Ordering
rioduct	oracing

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3592RGBW-BLK	RGB + 3000k RGBW	300lm	12v DC	180°	12w Built in LED	9350418019844
	HV3592RGBW-WHT	RGB + 3000k RGBW	300lm	12v DC	180°	12w Built in LED	9350418019851










### Product Specifications


Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	12w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Triac / Phase cut Dimming
Warranty	3 Years Replacement*












### **Optional Havit Compatible Accessories**

Image	Part Number	Description
18	HV9625	LED Dimmer - 300w Max





### **Product Ordering**

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3592T-BLK	3000k 4000k 5500k	920lm 1020lm 1080lm	240v AC	180°	<b>TRI Colour</b> 12w Built in LED	9350418019332
	HV3592T-WHT	3000k 4000k 5500k	920lm 1020lm 1080lm	240v AC	180°	<b>TRI Colour</b> 12w Built in LED	9350418019349

\*Items ordered after 01-01-2022


## Halo Aluminium Bluetooth RGBW Wall Light

### **Product Specifications**

Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	18w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Using APP or Remote
Warranty	3 Years Replacement*



RGB





This fitting only requires a 2 core low voltage cable as RGBW Controller is installed internally into each fitting, Controller can also be removed and installed using any of our RGBW Controllers available though this will require a 5 core cable being run to each fitting.

### **Product Ordering**

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3593RGBW-BLK	RGB + 3000k RGBW	350lm	12v DC	180°	18w Built in LED	9350418026415
	HV3593RGBW-WHT	RGB + 3000k RGBW	350lm	12v DC	180°	18w Built in LED	9350418026422










# HA Lightin

### Product Specifications


Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	18w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating IK10	
Dimmable	Yes - Triac / Phase cut Dimming
Warranty	3 Years Replacement*












### **Optional Havit Compatible Accessories**

Image	Part Number	Description
21	HV9625	LED Dimmer - 300w Max





### **Product Ordering**

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3593T-BLK	3000k 4000k 5500k	1315lm 1380lm 1440lm	240v AC	180°	<b>TRI Colour</b> 18w Built in LED	9350418019356
	HV3593T-WHT	3000k 4000k 5500k	1315lm 1380lm 1440lm	240v AC	180°	<b>TRI Colour</b> 18w Built in LED	9350418019363

\*Items ordered after 01-01-2022

## Halo Aluminium Bluetooth RGBW Wall Light

### **Product Specifications**

Name	Halo
Material	Aluminium
Colour	Poly Powder Coated Black or White
IP Rating	IP65
Installation Type	Wall - Surface Mounted
Lamp Base	Built in LED
Max Wattage	24w
Lamp Expectancy	<30,000hrs
Diffuser Type	Polycarbonate
UGR	<19
CRI	CRI>80
IK Rating	IK10
Dimmable	Yes - Using APP or Remote
Warranty	3 Years Replacement*


RGB


**IP65** 



**P** 







This fitting only requires a 2 core low voltage cable as RGBW Controller is installed internally into each fitting, Controller can also be removed and installed using any of our RGBW Controllers available though this will require a 5 core cable being run to each fitting.

### **Product Ordering**

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV3594RGBW-BLK	RGB + 3000k RGBW	400lm	12v DC	180°	24w Built in LED	9350418026439
	HV3594RGBW-WHT	RGB + 3000k RGBW	400lm	12v DC	180°	24w Built in LED	9350418026446



