

Tivah 316 Stainless Steel Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	316 Stainless Steel
Colour	Stainless Steel
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	405mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1407T-SS316	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions




Additional Information

Tivah Solid Copper Garden Spike Light

PRODUCT SPECIFICATIONS

Name	Tivah
Material	Solid Copper
Colour	Copper (will age over time)
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	245mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP


IP RATING

APPROVAL

Tri-Colour By Havit



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER

COLOUR TEMP

LUMENS

INPUT VOLTAGE

BEAM ANGLE

INCLUDED LED

HV1413T

3000K
4000K
5500K

270lm
285lm
300lm

12v DC

120°



TRI Colour
5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information

Tivah Aluminium Black Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	Aluminium
Colour	Poly Powder Coated Black
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	405mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1407T-BLK	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions




Additional Information

Tivah Aluminium Black Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	Aluminium
Colour	Poly Powder Coated Black
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	1000mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1423T	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions




Additional Information

Tivah 316 Stainless Steel Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	316 Stainless Steel
Colour	Stainless Steel
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	1000mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1403T-SS316	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information

Tivah Antique Brass Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	Brass
Colour	Antique Brass
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	1000mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1403T-AB	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions




Additional Information

Tivah Solid Copper Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	Solid Copper
Colour	Copper (will age over time)
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	1000mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1403T-CP	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information