

Aluminium Titanium Garden Spike Light




PRODUCT SPECIFICATIONS

Name: Tivah
Material: Aluminium
Colour: Titanium
IP Rating: IP65
Lamp Base: MR16
CRI: ≥80
Cable Length: 2000mm
Wiring: Parallel
Dimmable: No
Warranty: 2 Years Replacement**




DIMENSIONS



Compatible with
Tri-Colour 9in1
3w, 5w, 7w
12v or 24v LED G

COLOUR TEMPERATURE



IP RATING



APPROVALS



Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV1487T	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	Tri-Colour 5w MR16 LED

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:
 143 Beauchamp Road
 Matraville NSW 2036
 Australia

Tel: 02 9381 8300
 Fax: 02 9666 8881
 Email: sales@havit.com.au
 web: www.havit.com.au

Tivah Aluminium Black Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Tivah
Material	Aluminium
Colour	Poly Powder Coated Black
IP Rating	IP65
Lamp Base	MR16
CRI	> 80
Spike Length	285mm
Cable Length	2 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes
Warranty	2 Years Replacement




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS



COMPATIBLE WITH

Adjustable Beam Angle
HV9559W



9in1 12v or 24v DC
HV9507 (12v) / HV9508 (24v)



SUITABLE 12V DC LED DRIVERS



HV9654



HV9653

The drivers above are suggestions only, Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1427T	3000K 4000K 5500K	270lm 285lm 300lm	12v DC	120°	TRI Colour 5w MR16 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information

Mini Tivah Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Mini Tivah
Material	Aluminium & 316 Stainless Steel
Colour	Poly Powder Coated Black & Stainless Steel
IP Rating	IP65
Lamp Base	MR11
CRI	> 80
Spike Length	140mm
Cable Length	1 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS





HV9654



HV9653

The drivers above are suggestions only. Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1426NW-BLK	3000K + 4000K	270lm + 300lm	12v DC	120°	 3000k MR11 LED+ 4000k MR11 LED 3w MR11 LED
HV1426NW-SS316	3000K + 4000K	270lm + 300lm	12v DC	120°	 3000k MR11 LED+ 4000k MR11 LED 3w MR11 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



HV1426NW-BLK



HV1426NW-SS316

Mini Tivah Garden Spike Light

PRODUCT SPECIFICATIONS


Name	Mini Tivah
Material	Aluminium & 316 Stainless Steel
Colour	Poly Powder Coated Black & Stainless Steel
IP Rating	IP65
Lamp Base	MR11
CRI	> 80
Spike Length	140mm
Cable Length	1 Metres
Wiring	Parallel
Dimmable	No - not with supplied globes




COLOUR TEMP

IP RATING

APPROVAL



DIMENSIONS





HV9654



HV9653

The drivers above are suggestions only. Factors to consider are total load, run length and cable size. For more information contact Havit Sales Office or Sales Representative

PART NUMBER	COLOUR TEMP	LUMENS	INPUT VOLTAGE	BEAM ANGLE	INCLUDED LED
HV1426NW-BLK	3000K + 4000K	270lm + 300lm	12v DC	120°	 3000k MR11 LED+ 4000k MR11 LED 3w MR11 LED
HV1426NW-SS316	3000K + 4000K	270lm + 300lm	12v DC	120°	 3000k MR11 LED+ 4000k MR11 LED 3w MR11 LED

Must be used with a suitable 12v DC LED Driver

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



HV1426NW-BLK



HV1426NW-SS316