


## PRODUCT SPECIFICATIONS


**Name:** Highlite  
**Material:** Solid Brass  
**Colour:** Antique Brass finish  
**IP Rating:** IP54  
**Lamp Base:** GU10 or MR16  
**CRI:** ≥80  
**Cable Length:** 2000mm  
**Wiring:** Parallel  
**Dimmable:** No  
**Warranty:** 2 Years Replacement\*\*

## DIMENSIONS





## OPTIONAL SPIKE

HV1607



## OPTIONAL EXTENSION


HV1603-AB



Shown With Extension



## COLOUR TEMPERATURE



## IP RATING



## APPROVALS



## Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	<b>HV1601T-AB</b>	3000K	270lm	240V AC	120°	<b>Tri-Colour</b> 5w GU10 LED
		4000K	285lm			
		5500K	300lm			
	<b>HV1602T-AB</b>	3000K	270lm	12v DC	120°	<b>Tri-Colour</b> 5w MR16 LED
		4000K	285lm			
		5500K	300lm			

12v DC models must be used with suitable 12v DC LED Driver

\* Lumen output measured at source

\*\* See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:  
 143 Beauchamp Road  
 Matraville NSW 2036  
 Australia


Tel: 02 9381 8300  
 Fax: 02 9666 8881  
 Email: sales@havitt.com.au  
 web: www.havitt.com.au

# Aluminium Black Bollard Lights

## PRODUCT SPECIFICATIONS


**Name:** Highlite  
**Material:** Aluminium  
**Colour:** Poly powder coated black  
**IP Rating:** IP54  
**Lamp Base:** GU10 or MR16  
**CRI:** ≥80  
**Cable Length:** 2000mm  
**Wiring:** Parallel  
**Dimmable:** No  
**Warranty:** 2 Years Replacement\*\*

### DIMENSIONS




### OPTIONAL SPIKE

HV1607



### OPTIONAL EXTENSION


HV1603-BLK



Shown With Extension



### COLOUR TEMPERATURE



### IP RATING



### APPROVALS



## Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	<b>HV1601T-BLK</b>	3000K	270lm	240V AC	120°	<b>Tri-Colour</b> 5w GU10 LED
		4000K	285lm			
		5500K	300lm			
	<b>HV1602T-BLK</b>	3000K	270lm	12v DC	120°	<b>Tri-Colour</b> 5w MR16 LED
		4000K	285lm			
		5500K	300lm			

\* Lumen output measured at source

\*\* See Warranty Terms and Conditions for more information

12v DC models must be used with suitable 12v DC LED Driver

For more information contact Havit Lighting


ADDRESS:  
 143 Beauchamp Road  
 Matraville NSW 2036  
 Australia

Tel: 02 9381 8300  
 Fax: 02 9666 8881  
 Email: sales@havitt.com.au  
 web: www.havitt.com.au

# 316 Stainless Steel Bollard Lights

## PRODUCT SPECIFICATIONS


**Name:** Highlite  
**Material:** 316 Stainless Steel  
**Colour:** Stainless Steel  
**IP Rating:** IP54  
**Lamp Base:** GU10 or MR16  
**CRI:** ≥80  
**Cable Length:** 2000mm  
**Wiring:** Parallel  
**Dimmable:** No  
**Warranty:** 2 Years Replacement\*\*



Shown With Extension


825

### DIMENSIONS




### OPTIONAL SPIKE

HV1607



### OPTIONAL EXTENSION

HV1603-SS316



### COLOUR TEMPERATURE

Tri-Colour By Havit

3000K

4000K

5500K



### IP RATING



### APPROVALS



## Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	<b>HV1601T-SS316</b>	3000K	270lm	240V AC	120°	<b>Tri-Colour</b> 5w GU10 LED
		4000K	285lm			
5500K		300lm				
	<b>HV1602T-SS316</b>	3000K	270lm	12v DC	120°	<b>Tri-Colour</b> 5w MR16 LED
		4000K	285lm			
		5500K	300lm			

12v DC models must be used with suitable 12v DC LED Driver

\* Lumen output measured at source

\*\* See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:  
 143 Beauchamp Road  
 Matraville NSW 2036  
 Australia

Tel: 02 9381 8300  
 Fax: 02 9666 8881  
 Email: sales@havitt.com.au  
 web: www.havitt.com.au


# Titanium Aluminium Bollard Lights



## PRODUCT SPECIFICATIONS


**Name:** Highlite  
**Material:** Aluminium  
**Colour:** Titanium  
**IP Rating:** IP54  
**Lamp Base:** GU10 or MR16  
**CRI:** ≥80  
**Cable Length:** 2000mm  
**Wiring:** Parallel  
**Dimmable:** No  
**Warranty:** 2 Years Replacement\*\*

### DIMENSIONS





### OPTIONAL SPIKE

HV1607



### OPTIONAL EXTENSION


HV1603-TTM



Shown With Extension



### COLOUR TEMPERATURE



### IP RATING



### APPROVALS



## Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	<b>HV1601T-TTM</b>	3000K	270lm	240V AC	120°	<b>Tri-Colour</b> 5w GU10 LED
		4000K	285lm			
		5500K	300lm			
	<b>HV1602T-TTM</b>	3000K	270lm	12v DC	120°	<b>Tri-Colour</b> 5w MR16 LED
		4000K	285lm			
		5500K	300lm			

12v DC models must be used with suitable 12v DC LED Driver

\* Lumen output measured at source

\*\* See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:  
 143 Beauchamp Road  
 Matraville NSW 2036  
 Australia

Tel: 02 9381 8300  
 Fax: 02 9666 8881  
 Email: sales@hav.it.com.au  
 web: www.havit.com.au