

PRODUCT SPECIFICATIONS Name: Klip Material: 316 Stainless Steel + aluminium **Colour:** Stainless Steel IP Rating: IP67 IK Rating: IK10 Trafficable: 1000kg Lamp Base: Built in LED **CRI:** ≥80 Cable Length: 300mm Wiring: Parallel **Dimmable:** No Warranty: 2 Years Replacement** Cutout with Canister Cutout without Canister Ø90 Ø85 ;18 Slight decline on Ground level to allow for water to run away from fitting Ø100 :4 8, Ground Level 140 **IP RATING** CANISTER 113 Light Fitting Ø 64 · Ø 89 [†]Canister



Product Ordering

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV1831C-12V	5500K	630lm	12v DC 120°	1 2 Qº	Built in 7w LED
	HV1831W-12V	3000K	560lm		120	
	HV1831C-240V	5500K	630lm	240v AC	120°	Built in 7w LED
	HV1831W-240V	3000K	560lm	240V AC	120	Built III / W LLD

TEMPERATURE

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information


100mm Space

100mm - 150mm of Crushed Rock

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia





Product Ordering

HONEYCOMB LENS

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV1832C-12V	5500K	900lm	12v DC 120°	120°	Built in 10w LED
	HV1832W-12V	3000K	800lm		120	
	HV1832C-240V	5500K	900lm	240v AC	120°	Built in 10w LED
	HV1832W-240V	3000K	800lm	240V AC	12U	Built in TOW LED

12v DC models must be used with suitable 12v DC LED Driver

SCREW DOWN FACE

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

PRODUCT SPECIFICATIONS



Name: Klip Material: 316 Stainless Steel + aluminium **Colour:** Stainless Steel IP Rating: IP67 IK Rating: IK10 Trafficable: 1000kg Lamp Base: Built in LED **CRI:** ≥80 Cable Length: 300mm Wiring: Parallel **Dimmable:** No Warranty: 2 Years Replacement** Cutout without Canister Cutout with Canister Ø182 ·Ø194 · Slight decline on Ground level to allow for water to run away from fitting Ø213 Ground Level 12 110 ⁷³ CANISTER 57 **IP RATING** Ø142 Light Fitting [†]Canister HV1833-FSH HV1833-HC 100mm Space TEMPERATURE 100mm - 150mm of Crushed Rock

Product Ordering

HONEYCOMB LENS

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV1833C-12V	5500K	1800lm	12v DC	120°	Built in 20w LED
	HV1833W-12V	3000K	1600lm		120	
	HV1833C-240V	5500K	1800lm	240v AC 120°	120°	Built in 20w LED
	HV1833W-240V	3000K	1600lm	240V AC	120	Built III 20W LED

12v DC models must be used with suitable 12v DC LED Driver

SCREW DOWN FACE

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia



PRODUCT SPECIFICATIONS	
Name: Klip	
Material: 316 Stainless Steel + aluminium	
Colour: Stainless Steel	
IP Rating: IP67	
IK Rating: IK10	
Trafficable: 1000kg	
Lamp Base: Built in LED	
CRI: ≥80	
Cable Length: 300mm	
Wiring: Parallel	
Dimmable: No	
Warranty: 2 Years Replacement**	
DIMENSIONS	APPROVALS INSTALLATION WITH ADEQUATE DRAINAGE
Cutout with Canister 0198 Cutout without Canister 0182 CANISTER 270 $4:$ 208 208 219 219 219 219 219 219	Slight decline on Ground level to allow for water to run away from fitting Ground Level Light Fitting
OPTIONAL ACCESSORIES	COLOUR 100mm Space
HONEYCOMB LENS	3000k 5500k 100mm - 150mm of Crushed Rock

Product Ordering

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV1834C-12V	5500K	2700lm	12v DC	60°	Built in 30w LED
	HV1834W-12V	3000K	2400lm	120 DC 00	00	
	HV1834C-240V	5500K	2700lm	240v AC 60°	60°	Built in 30w LED
	HV1834W-240V	3000K	2400lm	240V AC	UU	Built in 3000 LLD

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

Tel: 02 9381 8300 Fax: 02 9666 8881 Email: sales@havit.com.au web: www.havit.com.au



PRODUCT SPECIFICATIONS

Name: Klip Material: 316 Stainless Steel + aluminium Colour: Stainless Steel IP Rating: IP67 IK Rating: IK10 Trafficable: 1000kg Lamp Base: Built in LED CRI: ≥80 Cable Length: 300mm Wiring: Parallel Dimmable: No Warranty: 2 Years Replacement**



DIMENSIONS

Cutout with Canister	Cutout without Canister Ø220 — Ø220 — Ø260
CANISTER 125	12 12 57 57 13

OPTIONAL ACCESSORIES



Product Ordering

)	Slight decline on Ground level to allow for water to r	un away from fitting
	Light Fitting	
RE DOK	100mm - 150mm of Crushed Rock	

INSTALLATION WITH ADEQUATE DRAINAGE

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV1835C-12V	5500K	2700lm	12v DC	120°	Built in 30w LED
	HV1835W-12V	3000K	2400lm			
	HV1835C-240V	5500K	2700lm	240v AC 120°	120°	Built in 30w LED
	HV1835W-240V	3000K	2400lm	2.50776	120	

IP RATIN

TEMPERA

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia