316 Stainless Steel Black Inground or Deck Lights



PRODUCT SPECIFICATIONS

Name: Mini Ollo

Material: 316 Stainless Steel

Colour: Poly powder coated black face

IP Rating: IP65

Lamp Base: Built in LED

CRI: ≥80


Cable Length: 300mm

Wiring: Parallel


Dimmable: No

Warranty: 2 Years Replacement**









Product Ordering

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV2892C-BLK	5500k	90lm	12v DC	36°	1w Built in LED
	HV2892W-BLK	3000k	80lm	.2.00		Suite in EES

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

316 Stainless Steel + Copper Inground or Deck Lights



PRODUCT SPECIFICATIONS

Name: Mini Ollo

Material: 316 Stainless Steel + Copper

Colour: Copper (will age over time)

IP Rating: IP65

Lamp Base: Built in LED

CRI: ≥80

Cable Length: 300mm

Wiring: Parallel


Dimmable: No

Warranty: 2 Years Replacement**














Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV2892C-CP	5500k	90lm	12v DC	36°	1w Built in LED
	HV2892W-CP	3000k	80lm	.2.00		Saint ii. EED

12v DC models must be used with suitable 12v DC LED Driver

- * Lumen output measured at source
- ** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

316 Stainless Steel Inground or Deck Lights



PRODUCT SPECIFICATIONS

Name: Mini Ollo

Material: 316 Stainless Steel

Colour: Stainless Steel

IP Rating: IP65

Lamp Base: Built in LED

CRI: ≥80

Cable Length: 300mm


Wiring: Parallel

Dimmable: No


Warranty: 2 Years Replacement**











Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV2892C-SS316	5500k	90lm	12v DC	36°	1w Built in LED
	HV2892W-SS316	3000k	80lm			56.11 225

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

316 Stainless Steel Black Step Lights with Eyelid



PRODUCT SPECIFICATIONS

Name: Mini Ollo

Material: 316 Stainless Steel

Colour: Poly powder coated black face

IP Rating: IP65

Lamp Base: Built in LED


CRI: ≥80

Cable Length: 300mm

Wiring: Parallel
Dimmable: No

Warranty: 2 Years Replacement**

Not suitable for inground use















Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV2891C-BLK	5500k	90lm	12v DC 36°	1w Built in LED	
	HV2891W-BLK	3000k	80lm	.2.00		56.11 EE5

12v DC models must be used with suitable 12v DC LED Driver

- * Lumen output measured at source
- ** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

316 Stainless Steel Step Lights with Eyelid



PRODUCT SPECIFICATIONS

Name: Mini Ollo

Material: 316 Stainless Steel

Colour: Stainless Steel

IP Rating: IP65

Lamp Base: Built in LED

CRI: ≥80


Cable Length: 300mm

Wiring: Parallel

Dimmable: No

Warranty: 2 Years Replacement**

Not suitable for inground use















Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV2891C-SS316	5500k	90lm	12v DC 36°	36°	1w Built in LED
	HV2891W-SS316	3000k	80lm	.2.00		Saint in EED

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

Copper Step Lights with Eyelid



PRODUCT SPECIFICATIONS

Name: Mini Ollo

Material: 316 Stainless Steel + Copper

Colour: Copper (will age over time)

IP Rating: IP65

Lamp Base: Built in LED

CRI: ≥80


Cable Length: 300mm

Wiring: Parallel

Dimmable: No

Warranty: 2 Years Replacement**


Not suitable for inground use

















Product Ordering

IMAGE	PART NUMBER	COLOURTEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV2891C-CP	5500k	90lm	12v DC 36°	36°	1w Built in LED
	HV2891W-CP	3000k	80lm			

12v DC models must be used with suitable 12v DC LED Driver

- * Lumen output measured at source
- ** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia