Aluminium Black Square Recessed Step Lights



PRODUCT SPECIFICATIONS

Name: Reces

Material: Aluminium

Colour: Poly powder coated black

IP Rating: IP67

Lamp Base: Built in LED

CRI: ≥80


Cable Length: 200mm

Wiring: Parallel

Dimmable: No

Warranty: 2 Years Replacement**

DIMENSIONS











Product Ordering

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV3215C-BLK	5500k	190lm	- 12v DC	40°	3w Built in LED
	HV3215W-BLK	3000k	180lm			

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia
 Tel:
 02 9381 8300

 Fax:
 02 9666 8881

 Email:
 sales@havit.com.au

 web:
 www.havit.com.au

316 Stainless Steel Square Recessed Step Lights



PRODUCT SPECIFICATIONS

Name: Reces

Material: 316 Stainless Steel

Colour: Stainless Steel

IP Rating: IP67

Lamp Base: Built in LED


CRI: ≥80

Cable Length: 200mm

Wiring: Parallel

Dimmable: No

Warranty: 2 Years Replacement**











Product Ordering

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV3215C-SS316	5500k	190lm	- 12v DC 40°	40°	3w Built in LED
	HV3215W-SS316	3000k	180lm			

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia
 Tel:
 02 9381 8300

 Fax:
 02 9666 8881

 Email:
 sales@havit.com.au

 web:
 www.havit.com.au

Aluminium White Square Recessed Step Lights



PRODUCT SPECIFICATIONS

Name: Reces

Material: Aluminium

Colour: Poly powder coated white

IP Rating: IP67

Lamp Base: Built in LED

CRI: ≥80

Cable Length: 200mm

Wiring: Parallel

Dimmable: No

Warranty: 2 Years Replacement**

DIMENSIONS Cutout with Canister Ø76 Ø60 33mm

65

Ø50







Product Ordering

CANISTER

IMAGE	PART NUMBER	COLOUR TEMP	LUMENS	INPUT	BEAM ANGLE	INCLUDED LED
	HV3215C-WHT	5500k	190lm	– 12v DC	40°	3w Built in LED
	HV3215W-WHT	3000k	180lm			

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia
 Tel:
 02 9381 8300

 Fax:
 02 9666 8881

 Email:
 sales@havit.com.au

 web:
 www.havit.com.au