Aluminium Rectangle Step Lights



PRODUCT SPECIFICATIONS

Name: Virsma

Material: Aluminium

Colour: Poly powder coated Black & White

IP Rating: IP54


Lamp Base: Built in LED

CRI: ≥80

Wiring: Parallel


Dimmable: No

Warranty: 2 Years Replacement**













Product Ordering

IMAGE	PART NUMBER	INPUT	COLOUR TEMP	LUMENS	BEAM ANGLE	INCLUDED LED
	HV3275T-BLK-240V	240v AC	3000k - 4000k 5500k	200lm 210lm 220lm	120°	Tri-Colour 6w Built in LED
	HV3275T-BLK-12V	12v DC				
	HV3275T-WHT-240V	240v AC	3000k 4000k 5500k	200lm 210lm 220lm	120°	Tri-Colour 6w Built in LED
	HV3275T-WHT-12V	12v DC				

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

Tel: 02 9381 8300 Fax: 02 9666 8881 Email: sales@havit.com.au web: www.havit.com.au

Aluminium Square Step Lights



PRODUCT SPECIFICATIONS

Name: Virsma

Material: Aluminium

Colour: Poly Powder Coated Black & White

IP Rating: IP54


Lamp Base: Built in LED

CRI: ≥80

Wiring: Parallel


Dimmable: No

Warranty: 2 Years Replacement**













Product Ordering

IMAGE	PART NUMBER	INPUT	COLOUR TEMP	LUMENS	BEAM ANGLE	INCLUDED LED
	HV3276T-BLK-240V	240v AC	3000k - 4000k 5500k	110lm 115lm 120lm	120°	Tri-Colour 4w Built in LED
	HV3276T-BLK-12V	12v DC				
	HV3276T-WHT-240V	240v AC	3000k - 4000k 5500k	110lm 115lm 120lm	120°	Tri-Colour 4w Built in LED
	HV3276T-WHT-12V	12v DC				

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

Tel: 02 9381 8300 Fax: 02 9666 8881 Email: sales@havit.com.au web: www.havit.com.au

Aluminium Round Step Lights



PRODUCT SPECIFICATIONS

Name: Virsma

Material: Aluminium

Colour: Poly Powder Coated Black & White

IP Rating: IP54


Lamp Base: Built in LED

CRI: ≥80

Wiring: Parallel


Dimmable: No

Warranty: 2 Years Replacement**













Product Ordering

IMAGE	PART NUMBER	INPUT	COLOURTEMP	LUMENS	BEAM ANGLE	INCLUDED LED
	HV3277T-BLK-240V	240v AC	3000k - 4000k 5500k	110lm 115lm 120lm	120°	Tri-Colour 4w Built in LED
	HV3277T-BLK-12V	12v DC				
	HV3277T-WHT-240V	240v AC	3000k - 4000k 5500k	110lm 115lm 120lm	120°	Tri-Colour 4w Built in LED
	HV3277T-WHT-12V	12v DC				

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

Tel: 02 9381 8300 Fax: 02 9666 8881 Email: sales@havit.com.au web: www.havit.com.au