Aluminium Slim Up & Down Wall Lights



PRODUCT SPECIFICATIONS

Name: Essil

Material: Aluminium

Colour: Poly Powder Coated Black & White

IP Rating: IP54


Lamp Base: Built in LED

CRI: ≥80

Wiring: Parallel


Dimmable: Yes (240v model only)


Warranty: 2 Years Replacement**

















Product Ordering

IMAGE	PART NUMBER	INPUT	COLOUR TEMP	LUMENS	BEAM ANGLE	INCLUDED LED
	HV3649T-BLK-240V	240v AC	3000k - 4000k 5500k	2x 350lm 2x 365lm 2x 380lm	120°	Tri-Colour 2x 6w Built in LED
	HV3649T-BLK-12V	12v DC				
	HV3649T-WHT-240V	240v AC	3000k 4000k 5500k	2x 350lm 2x 365lm 2x 380lm	120°	Tri-Colour 2x 6w Built in LED
	HV3649T-WHT-12V	12v DC				

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

Aluminium Slim Up & Down Wall Lights



PRODUCT SPECIFICATIONS

Name: Essil

Material: Aluminium

Colour: Poly Powder Coated Black & White

IP Rating: IP54


Lamp Base: Built in LED

CRI: ≥80

Wiring: Parallel

Dimmable: No

Warranty: 2 Years Replacement**


















Product Ordering

IMAGE	PART NUMBER	INPUT	COLOUR TEMP	LUMENS	BEAM ANGLE	INCLUDED LED
	HV3648T-BLK	240v AC	3000k - 4000k 5500k	2x 300lm 2x 310lm 2x 325lm	120°	Tri-Colour 2x 5w Built in LED
	HV3648T-BLK-12V	12v DC				
	HV3648T-WHT	240v AC	3000k - 4000k 5500k	2x 300lm 2x 310lm 2x 325lm	120°	Tri-Colour 2x 5w Built in LED
	HV3648T-WHT-12V	12v DC				

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

Aluminium Slim Square Up & Down Wall Lights



PRODUCT SPECIFICATIONS

Name: Essil

Material: Aluminium

Colour: Poly Powder Coated Black & White

IP Rating: IP54


Lamp Base: Built in LED

CRI: ≥80

Wiring: Parallel


Dimmable: No

Warranty: 2 Years Replacement**


















Product Ordering

IMAGE	PART NUMBER	INPUT	COLOUR TEMP	LUMENS	BEAM ANGLE	INCLUDED LED
	HV3646T-BLK	240v AC	3000k - 4000k 5500k	2x 240lm 2x 250lm 2x 260lm	120°	Tri-Colour 2x 3w Built in LED
	HV3646T-BLK-12V	12v DC				
	HV3646T-WHT	240v AC	3000k - 4000k 5500k	2x 240lm 2x 250lm 2x 260lm	120°	Tri-Colour 2x 3w Built in LED
	HV3646T-WHT-12V	12v DC				

12v DC models must be used with suitable 12v DC LED Driver

* Lumen output measured at source

** See Warranty Terms and Conditions for more information

Tel: 02 9381 8300 Fax: 02 9666 8881 Email: sales@havit.com.au web: www.havit.com.au