


LANDON SMART | CEILING LIGHT | WHITE

2110840101

nordlux®



Voltage (V): 220-240 Volt
IP degree: IP44
Class (Class 1, Class 2, Class 3):
Class 2 (Double isolated)
Bulb base: LED Module
Parallel connection: True

Primary material: Metal
Secondary material: Plastic
Color: White

Height (cm): 8.2
Projection (cm): 8.5


EAN: 5704924007453
TUN: 2160550
Item Number: 2110840101
Pcs Per Master Carton: 3
Sales Box Height (cm): 11.25

Sales Box Width(cm): 13
Sales Box Depth (cm): 13
Sales Box Volume m³ : 0.0019

Brightness of light (Lumen): 700
Color Temperature (K): 2700-6500
Ra-value : 80
Lifetime (h): 25000
Beam Angle (°) : 110
Candela (cd) (for directional lamp only): 0
Energy Class: F
Actual Watt (W): 8

- Turn on, off and dim by using the Nordlux Smart app • Cold to warm white light (2700-6500 kelvin) • Suitable for the bathroom (IP44)
- Built-in memory function • Easy screwless connection


Landon is a series of surface mounted downlights where you can dim and turn the light on and off using the Nordlux Smart app. You can also adjust the light from cold to warm white according to your needs. The high IP protection (IP44) makes this downlight suitable for the bathroom.



LANDON SMART | CEILING LIGHT | BLACK

2110840103

nordlux®



Voltage (V): 220-240 Volt
IP degree: IP44
Class (Class 1, Class 2, Class 3):
Class 2 (Double isolated)
Bulb base: LED Module
Parallel connection: True


Primary material: Metal
Secondary material: Plastic
Colour: Black

Height (cm): 8.2
Projection (cm): 8.5
EAN: 5704924007460
TUN: 2160551
Item Number: 2110840103
Pcs Per Master Carton: 3
Sales Box Height (cm): 11.25

Sales Box Width(cm): 13
Sales Box Depth (cm): 13
Sales Box Volume m³ : 0.0019
Product net weight (kg): 0.505

Brightness of light (Lumen): 700
Colour temperature (Kelvin):
2700-6500
Ra-value : 80
Lifetime (hours): 25000
Beam angle (°) : 110
Candela (cd) (for directional
lamp only): 0
Energy class: F
Actual watt (W): 8


- Turn on, off and dim by using the Nordlux Smart app • Cold to warm white light (2700-6500 kelvin) • Suitable for the bathroom (IP44)
- Built-in memory function • Easy screwless connection • 5-year LED guarantee



Landon is a series of surface mounted downlights where you can dim and turn the light on and off using the Nordlux Smart app. You can also adjust the light from cold to warm white according to your needs. The high IP protection (IP44) makes this downlight suitable for the bathroom.

LANDON SMART LONG | CEILING LIGHT | WHITE **nordlux**[®]

2110850101



Voltage (V): 220-240 Volt
IP degree: IP44
Class (Class 1, Class 2, Class 3):
Class 2 (Double isolated)
Bulb base: LED Module
Parallel connection: True

Primary material: Metal
Secondary material: Plastic
Colour: White


Height (cm): 14
Projection (cm): 14
EAN: 5704924007477
TUN: 2160552
Item Number: 2110850101
Pcs Per Master Carton: 3
Sales Box Height (cm): 17.25

Sales Box Width(cm): 13
Sales Box Depth (cm): 13
Sales Box Volume m³ : 0.0029
Product net weight (kg): 0.66

Brightness of light (Lumen): 700
Colour temperature (Kelvin):
2700-6500
Ra-value : 80
Lifetime (hours): 25000
Beam angle (°) : 110
Candela (cd) (for directional
lamp only): 0
Energy class: F
Actual watt (W): 8


- Turn on, off and dim by using the Nordlux Smart app • Cold to warm white light (2700-6500 kelvin) • Suitable for the bathroom (IP44)
- Built-in memory function • Easy screwless connection • 5-year LED guarantee

Landon is a series of surface mounted downlights where you can dim and turn the light on and off using the Nordlux Smart app. You can also adjust the light from cold to warm white according to your needs. The high IP protection (IP44) makes this downlight suitable for the bathroom.



LANDON SMART LONG | CEILING LIGHT | BLACK nordlux®

2110850103



Voltage (V): 220-240 Volt
IP degree: IP44
Class (Class 1, Class 2, Class 3):
Class 2 (Double isolated)
Bulb base: LED Module
Parallel connection: True

Primary material: Metal
Secondary material: Plastic
Color: Black

Height (cm): 14
Projection (cm): 14

EAN: 5704924007484
TUN: 2160553
Item Number: 2110850103
Pcs Per Master Carton: 3
Sales Box Height (cm): 17.25

Sales Box Width(cm): 13
Sales Box Depth (cm): 13
Sales Box Volume m³ : 0.0029

Brightness of light (Lumen): 700
Color Temperature (K): 2700-6500
Ra-value : 80
Lifetime (h): 25000
Beam Angle (°) : 110
Candela (cd) (for directional lamp only): 0
Energy Class: F
Actual Watt (W): 8

- Turn on, off and dim by using the Nordlux Smart app • Cold to warm white light (2700-6500 kelvin) • Suitable for the bathroom (IP44)
- Built-in memory function • Easy screwless connection

Landon is a series of surface mounted downlights where you can dim and turn the light on and off using the Nordlux Smart app. You can also adjust the light from cold to warm white according to your needs. The high IP protection (IP44) makes this downlight suitable for the bathroom.

