



24w IP67 24v DC RGBCW LED Strip



PRODUCT SPECIFICATIONS

Part Number	HV9752-IP54-60-RGBCW
Watts Per Metre	24w
Input Voltage	24v DC
Colour Temp	RGBCW (RGB + 3000K + 5500K)
Beam Angle	120°
IP Rating	IP54
Size	16mm (W) x 6mm (H)
PCB	3oz
CRI	>90
Wiring	Parallel
Dimmable	Yes
LED Chip Type	5050
No. Chips Per Metre	60
Lumens Per Metre	500lm
Maximum Length	5000mm
Cutting Increments	100mm
Mounting	Aluminium Profile or Heat Sink
Operating Temperature	0 - + 60° Celcius
Ambient Temperature	-20° - + 50° Celcius
Warranty	3 Years Replacement*




IP RATING


APPROVAL




DIMENSIONS



SAMPLE WIRING DIAGRAMS



COMPATIBLE CONTROLLERS



*Ordered after 01-01-2022

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information

24w IP54 24v DC RGBCW LED Strip



PRODUCT SPECIFICATIONS

Part Number	HV9752-IP54-60-RGBCW
Watts Per Metre	24w
Input Voltage	24v DC
Colour Temp	RGBCW (RGB + 3000K + 5500K)
Beam Angle	120°
IP Rating	IP54
Size	14mm (W) x 3mm (H)
PCB	3oz
CRI	>90
Wiring	Parallel
Dimmable	Yes
LED Chip Type	5050
No. Chips Per Metre	60
Lumens Per Metre	500lm
Maximum Length	5000mm
Cutting Increments	100mm
Mounting	Aluminium Profile or Heat Sink
Operating Temperature	0 - + 60° Celcius
Ambient Temperature	-20° - + 50° Celcius
Warranty	3 Years Replacement*




IP RATING




APPROVAL




DIMENSIONS



SAMPLE WIRING DIAGRAMS



COMPATIBLE CONTROLLERS



*Ordered after 01-01-2022

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information

24w IP20 24v DC RGBCW LED Strip



PRODUCT SPECIFICATIONS

Part Number	HV9752-IP20-60-RGBCW
Watts Per Metre	24w
Input Voltage	24v DC
Colour Temp	RGBCW (RGB + 3000K + 5500K)
Beam Angle	120°
IP Rating	IP20
Size	14mm (W) x 2mm (H)
PCB	3oz
CRI	>90
Wiring	Parallel
Dimmable	Yes
LED Chip Type	5050
No. Chips Per Metre	60
Lumens Per Metre	500lm
Maximum Length	5000mm
Cutting Increments	100mm
Mounting	Aluminium Profile or Heat Sink
Operating Temperature	0 - + 60° Celcius
Ambient Temperature	-20° - + 50° Celcius
Warranty	3 Years Replacement*




IP RATING



APPROVAL




DIMENSIONS



SAMPLE WIRING DIAGRAM



COMPATIBLE CONTROLLERS



*Ordered after 01-01-2022

For More Information Contact Havit Lighting

143 Beauchamp Road
Matraville NSW 2036
Australia

Tel: 02 9381 83000
Fax: 02 9666 888
Email: sales@havit.com.au
Web: www.havit.com.au



Warranty Terms & Conditions



Additional Information