

Last modification 2023-04-17

**LILAC OY28-3C**  
**9329501064023**



The Lilac LED oyster is a hemispherical ceiling light that can easily be used anywhere in your home due to its timeless design, in a living room, a hall or a bedroom. Due to the special structure of the acrylic lampshade, the decorative light attracts attention when it is turned off. When it is turned on, however, the pattern on the lampshade produces a magical lighting result.

## Overview

<b>Family name</b>	Lilac
<b>Categories</b>	Oysters
<b>Mounting</b>	Surface
<b>This item includes</b>	Diffuser
<b>Usage</b>	Indoor Lighting, Trade Selection

## Color / Material

<b>Fixture Color</b>	Clear, White
<b>Fixture Material</b>	Plastic, Metal
<b>Canopy Color</b>	White
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Plastic

## Size

<b>Fixture Diameter (cm)</b>	28.0
<b>Fixture Height (cm)</b>	2.5
<b>Fixture Projection (cm)</b>	2.5
<b>Canopy Diameter (cm)</b>	26.0
<b>Canopy Projection (cm)</b>	1.8
<b>Diffuser Diameter (cm)</b>	28.0
<b>Diffuser Height (cm)</b>	8.0

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	18
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	1450
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>85
<b>Dimmable</b>	No
<b>Power Factor</b>	>0.90
<b>Surge Protection</b>	Yes (1.5 Kva)
<b>Current Output</b>	300
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Basic mounting screws, Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501064023

## Image -dimensions







Last modification 2023-04-17

**LILAC OY40-3C**  
**9329501063477**



The Lilac LED oyster is a hemispherical ceiling light that can easily be used anywhere in your home due to its timeless design, in a living room, a hall or a bedroom. Due to the special structure of the acrylic lampshade, the decorative light attracts attention when it is turned off. When it is turned on, however, the pattern on the lampshade produces a magical lighting result.

## Overview

<b>Family name</b>	Lilac
<b>Categories</b>	Oysters
<b>Mounting</b>	Surface
<b>This item includes</b>	Diffuser
<b>Usage</b>	Indoor Lighting, Trade Selection

## Color / Material

<b>Fixture Color</b>	Clear, White
<b>Fixture Material</b>	Plastic, Metal
<b>Canopy Color</b>	White
<b>Diffuser Color</b>	Clear
<b>Diffuser Material</b>	Plastic

## Size

<b>Fixture Diameter (cm)</b>	40.5
<b>Fixture Height (cm)</b>	2.5
<b>Fixture Projection (cm)</b>	2.5

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	32
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	2600
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Rendering</b>	>85
<b>Dimmable</b>	Yes
<b>Power Factor</b>	>0.90
<b>Surge Protection</b>	Yes (1.5 Kva)
<b>Current Output</b>	550
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Basic mounting screws, Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501063477

## Image -dimensions

