Marina Flatline

nordlux®





Compatible File* option turned on. This option is in the Illustrator Native Format Options dialog box, which appears when saving an Adobe Illustrator file using the Save As command.

This is an Adobe" Illustrator" File that was saved without PDF Content.
To Place or open this file in other applications, it would be to alwayed from a population of the other of the population of the place of the population of the place PDF Compatible File option turved on. This option is in the lilustrator Native Format Options dialog box, which appears when saving an Adobe fill lilustrator file using the Save As command.

Height (cm): 20 Projection (cm): 18 Width (cm): 13.5 Wall box (cm): 8,8 x 8,9

Marina Flatline

Item number: 46821003 Black EAN: 5701581399280

Packaging unit 3 Material: Aluminium/Plastic IP44, Class 1 (Earth contact), 230V LED MODUL, Light source incl. 10w led Parallel connection possible

Area: Outdoor Energy class A++ - A Transformer/driver placement: I lampen

Using the latest in LED technology, Marina unites simple and liberated modes of expression to wonderful effect. This results in the actual brightness being justified, and a highly aesthetic and effective outdoor lighting being achieved. The designer, Kaare Bækgaard, found inspiration in the maritime environment, where the forces of nature requires lighting to be well-protected.


Lightsource info (pr. lightsource)

Lumen: 750 Lumen/Watt: 100 Lifetime: 25000 On/Off: 12500

Colour temperature: 3000K

RA: 80

Beam angle: 120° Dimmable: No





Marina Flatline Pir Sensor







Height (cm): 20 Projection (cm): 18 Width (cm): 13.5 Wall box (cm): 8,8 x 8,9

Marina Flatline Pir Sensor

Item number: 46831001 White EAN: 5701581399389

Packaging unit 3
Material: Aluminium/Plastic
IP44, Class 1 (Earth contact), 230V
LED MODUL, Light source incl. 10w led
Parallel connection possible

Area: Outdoor Energy class A++ - A Transformer/driver placement: I lampen

Sensor: Integrated Sensor type: PIR Sensor angle: 120°

Using the latest in LED technology, Marina unites simple and liberated modes of expression to wonderful effect. This results in the actual brightness being justified, and a highly aesthetic and effective outdoor lighting being achieved. The designer, Kaare Bækgaard, found inspiration in the maritime environment, where the forces of nature requires lighting to be well-protected.


Lightsource info (pr. lightsource)

Lumen: 750 Lumen/Watt: 100 Lifetime: 25000 On/Off: 12500

Colour temperature: 3000K

RA: 80

Beam angle: 120° Dimmable: No





Marina Flatline Pir Sensor







Height (cm): 20 Projection (cm): 18 Width (cm): 13.5 Wall box (cm): 8,8 x 8,9

Marina Flatline Pir Sensor

Item number: 46831003 Black EAN: 5701581399488

Packaging unit 3
Material: Aluminium/Plastic
IP44, Class 1 (Earth contact), 230V
LED MODUL, Light source incl. 10w led
Parallel connection possible

Area: Outdoor Energy class A++ - A Transformer/driver placement: I lampen

Sensor: Integrated Sensor type: PIR Sensor angle: 120°

Using the latest in LED technology, Marina unites simple and liberated modes of expression to wonderful effect. This results in the actual brightness being justified, and a highly aesthetic and effective outdoor lighting being achieved. The designer, Kaare Bækgaard, found inspiration in the maritime environment, where the forces of nature requires lighting to be well-protected.


Lightsource info (pr. lightsource)

Lumen: 750 Lumen/Watt: 100 Lifetime: 25000 On/Off: 12500

Colour temperature: 3000K

RA: 80

Beam angle: 120° Dimmable: No





nordlux®





Compatible File* option turned on. This option is in the Illustrator Native Format Options dialog box, which appears when saving an Adobe Illustrator file using the Save As command.

This is an Adobe" Illustrator" File that was saved without FDF Content.
To Place or open this file in other applications, it found the re-saved from a spile action, it found the re-saved from FDF Compatible File option turned on. This oppoint is in the Illustrator Native Group Content of the Illustrator Rative Content of the Illustrator Rativ

Height (cm): 20 Projection (cm): 18 Width (cm): 13.5 Wall box (cm): 8,8 x 8,9

Marina Flatline

Item number: 46821001 White EAN: 5701581399181

Packaging unit 3
Material: Aluminium/Plastic
IP44, Class 1 (Earth contact), 230V
LED MODUL, Light source incl. 10w led
Parallel connection possible

Area: Outdoor Energy class A++ - A Transformer/driver placement: I lampen

Using the latest in LED technology, Marina unites simple and liberated modes of expression to wonderful effect. This results in the actual brightness being justified, and a highly aesthetic and effective outdoor lighting being achieved. The designer, Kaare Bækgaard, found inspiration in the maritime environment, where the forces of nature requires lighting to be well-protected.

Lightsource info (pr. lightsource)

Lumen: 750 Lumen/Watt: 100 Lifetime: 25000 On/Off: 12500

Colour temperature: 3000K

RA: 80

Beam angle: 120° Dimmable: No

