

Last modification 2023-09-16

## NETRA DL15-WH 9329501063736



The Netra LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three colour temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

### Overview

<b>Family name</b>	Netra
<b>Categories</b>	Downlights
<b>Mounting</b>	Surface
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-212163-EA

### Color / Material

<b>Fixture Color</b>	White
<b>Base Material</b>	Aluminium
<b>Diffuser Material</b>	Plastic

### Size

<b>Fixture Diameter (cm)</b>	12.0
<b>Canopy Diameter (cm)</b>	12.0
<b>Canopy Projection (cm)</b>	5.5

### Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	15
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	1200
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Dimmable</b>	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction, Basic mounting screws
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501063736

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.





Last modification 2023-09-16

## NETRA DL15-BKGD 9329501063712



The Netra LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three colour temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

### Overview

<b>Family name</b>	Netra
<b>Categories</b>	Downlights
<b>Mounting</b>	Surface
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-212163-EA

### Color / Material

<b>Fixture Color</b>	Black, Gold
<b>Base Material</b>	Aluminium
<b>Diffuser Material</b>	Plastic

### Size

<b>Fixture Diameter (cm)</b>	12.0
<b>Canopy Diameter (cm)</b>	12.0
<b>Canopy Projection (cm)</b>	5.5

### Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	15
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	1200
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Dimmable</b>	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction, Basic mounting screws
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501063712

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.







Last modification

2023-09-16

**NETRA DL15-BK**  
**9329501063729**



The Netra LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three colour temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

## Overview

<b>Family name</b>	Netra
<b>Categories</b>	Downlights
<b>Mounting</b>	Surface
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-212163-EA

## Color / Material

<b>Fixture Color</b>	Black
<b>Base Material</b>	Aluminium
<b>Diffuser Material</b>	Plastic

## Size

<b>Fixture Diameter (cm)</b>	12.0
<b>Canopy Diameter (cm)</b>	12.0
<b>Canopy Projection (cm)</b>	5.5

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	15
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	1200
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Dimmable</b>	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction, Basic mounting screws
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501063729

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



