



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## EBO.120 LED

SKU:UA7814/120

EBO.LED weather-proof strip light is suitable for many outdoor applications (IP66). Ebo has a grey acrylic body and stainless steel clamps to hold the opal acrylic diffuser securely in place. One of the few lights that wont allow bugs in. Available in two lengths.

### Description

EBO.LED weather-proof strip light is suitable for many outdoor applications (IP66). Ebo has a grey acrylic body and stainless steel clamps to hold the opal acrylic diffuser securely in place. One of the few lights that wont allow bugs in. Available in two lengths.

### Additional information



<b>Brand</b>	Urban Architectural Lighting
<b>Colour</b>	Grey
<b>Bulb Type</b>	LED
<b>Wattage</b>	50w
<b>Bulb Included</b>	INBUILT.LED
<b>Voltage</b>	240V
<b>Overall Height</b>	12
<b>Overall Width</b>	119
<b>Overall Depth</b>	12
<b>Item Dimensions</b>	L1190 W120 P110
<b>Fitting Length</b>	L1190
<b>Fitting Width</b>	W120
<b>Fitting Projection</b>	P110
<b>Primary Material</b>	ACRYLIC
<b>Lumen Output</b>	4600LM

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a qualified electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Colour Temperature</b>	4000K
<b>IP Rating</b>	IP66
<b>Colour Rendition (CRI)</b>	>Ra80
<b>Supplier Code</b>	UA7814/120
<b>UPI</b>	9324879214490
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriël Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## EBO.60 LED

SKU:UA7814/60

EBO.LED weather-proof strip light is suitable for many outdoor applications (IP66). Ebo has a grey acrylic body and stainless steel clamps to hold the opal acrylic diffuser securely in place. One of the few lights that wont allow bugs in.

### Description

EBO.LED weather-proof strip light is suitable for many outdoor applications (IP66). Ebo has a grey acrylic body and stainless steel clamps to hold the opal acrylic diffuser securely in place. One of the few lights that wont allow bugs in.

### Additional information



<b>Brand</b>	Urban Architectural Lighting
<b>Colour</b>	Frosted
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	11w
<b>Bulb Included</b>	INBUILT.LED
<b>Voltage</b>	240V
<b>Overall Height</b>	12
<b>Overall Width</b>	60
<b>Overall Depth</b>	12
<b>Item Dimensions</b>	L600 W120 P110
<b>Fitting Length</b>	L600
<b>Fitting Width</b>	W120
<b>Fitting Projection</b>	P110
<b>Primary Material</b>	ACRYLIC
<b>Lumen Output</b>	1100lm

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a qualified electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Colour Temperature</b>	4000K
<b>IP Rating</b>	IP66
<b>Colour Rendition (CRI)</b>	>Ra80
<b>Supplier Code</b>	UA7814/60
<b>UPI</b>	9324879214407
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)