

www.oriel-lighting.com.au

NOODLE.70 WHITE

SKU:OL60973/70WH

NOODLE'S twisted loops are constructed from aluminium, with an opal acrylic diffuser concealing the LED's. Suspended on a 150cm stainless steel wire, NOODLE LED pendant is suitable for dimming with an LED friendly dimmer. NOODLE LED pendant features CTS (Colour Temperature Switching) allows the installing electrician to select the preferred colour temperature.



Brand	Oriel Lighting
Colour	White
Bulb Type	Tri Colour LED
Wattage	42W
Voltage	240V
Indoor / Outdoor / Alfresco	Indoor
Overall Height	175
Overall Width	70
Overall Depth	70
Fitting Height	25
Fitting Canopy	20
Fitting Diameter	70
Fitting Suspension	150
Cord / Wire Material	Stainless Steel
Light Source	TriColour LED
Lumen Output	3200lm

Colour Temperature	CTS3000/4000/5000K
Colour Rendition (CRI)	>Ra83
Dimmable	Dimmable with LED friendly dimmer
PLU	76539
Supplier Code	OL60973/70WH
UPI	9324879224598
In The Box	1 x pendant
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	12 Month Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

Oriel



www.oriel-lighting.com.au

NOODLE.70 BLACK

SKU:OL60973/70BK

NOODLE'S twisted loops are constructed from aluminium, with an opal acrylic diffuser concealing the LED's. Suspended on a 150cm stainless steel wire, NOODLE LED pendant is suitable for dimming with an LED friendly dimmer. NOODLE LED pendant features CTS (Colour Temperature Switching) allows the installing electrician to select the preferred colour temperature.



Brand	Oriel Lighting
Colour	BLACK
Bulb Type	Tri Colour LED
Wattage	42W
Voltage	240V
Indoor / Outdoor / Alfresco	Indoor
Overall Height	175
Overall Width	70
Overall Depth	70
Fitting Height	25
Fitting Canopy	20
Fitting Diameter	70
Fitting Suspension	150
Cord / Wire Material	Stainless Steel
Light Source	TriColour LED
Lumen Output	3200lm

Colour Temperature	CTS3000/4000/5000K
Colour Rendition (CRI)	>Ra83
Dimmable	Dimmable with LED friendly dimmer
PLU	76538
Supplier Code	OL60973/70BK
UPI	9324879224581
In The Box	1 x pendant
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	12 Month Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting





www.oriel-lighting.com.au

NOODLE.50 WHITE

SKU:OL60973/50WH

NOODLE'S twisted loops are constructed from aluminium, with an opal acrylic diffuser concealing the LED's. Suspended on a 150cm stainless steel wire, NOODLE LED pendant is suitable for dimming with an LED friendly dimmer. NOODLE LED pendant features CTS (Colour Temperature Switching) allows the installing electrician to select the preferred colour temperature.



Brand	Oriel Lighting
Colour	White
Bulb Type	Tri Colour LED
Wattage	28W
Voltage	240V
Indoor / Outdoor / Alfresco	Indoor
Overall Height	170
Overall Width	50
Overall Depth	50
Fitting Height	20
Fitting Canopy	18
Fitting Diameter	50
Fitting Suspension	150
Cord / Wire Material	Stainless Steel
Light Source	TriColour LED
Lumen Output	2300lm

Colour Temperature	CTS3000/4000/5000K
Colour Rendition (CRI)	>Ra83
Dimmable	Dimmable with LED friendly dimmer
PLU	76537
Supplier Code	OL60973/50WH
UPI	9324879224574
In The Box	1 x pendant
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	12 Month Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

Oriel



www.oriel-lighting.com.au

NOODLE.50 BLACK

SKU:OL60973/50BK

NOODLE'S twisted loops are constructed from aluminium, with an opal acrylic diffuser concealing the LED's. Suspended on a 150cm stainless steel wire, NOODLE LED pendant is suitable for dimming with an LED friendly dimmer. NOODLE LED pendant features CTS (Colour Temperature Switching) allows the installing electrician to select the preferred colour temperature.



Brand	Oriel Lighting
Colour	BLACK
Bulb Type	Tri Colour LED
Wattage	28W
Voltage	240V
Indoor / Outdoor / Alfresco	Indoor
Overall Height	170
Overall Width	50
Overall Depth	50
Fitting Height	20
Fitting Canopy	18
Fitting Diameter	50
Fitting Suspension	150
Cord / Wire Material	Stainless Steel
Light Source	TriColour LED
Lumen Output	2300lm

Colour Temperature	CTS3000/4000/5000K
Colour Rendition (CRI)	>Ra83
Dimmable	Dimmable with LED friendly dimmer
PLU	76536
Supplier Code	OL60973/50BK
UPI	9324879224567
In The Box	1 x pendant
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	12 Month Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

