

Last modification 2022-11-19

## PIVOT TL-BL 9329501061800



A modern functional task lamp, the PIVOT adds understated design to any decor. The dome spot shade is adjustable via a swivel to direct light around your work space. Available in many on trend colors for classic, modern or retro spaces.

### Overview

<b>Family name</b>	Pivot
<b>Categories</b>	Table Lamps
<b>Shade Shape</b>	Cone
<b>Switch</b>	Inline Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	Blue
<b>Fixture Pantone Color</b>	RAL 5009
<b>Fixture Material</b>	Iron
<b>Base Color</b>	Blue
<b>Base Material</b>	Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	15.0
<b>Fixture Height (cm)</b>	45.0
<b>Base Diameter (cm)</b>	15.0
<b>Base Height (cm)</b>	2.0
<b>Shade Diameter (cm)</b>	12.0
<b>Shade Height (cm)</b>	15.0
<b>Cable Length (cm)</b>	150 (20+Inline Switch+120)

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe Type</b>	E27
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Dimmable</b>	Globe Dependant
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501061800

Image -dimensions







Last modification

2022-11-19

## PIVOT TL-WH 9329501061770



A modern functional task lamp, the PIVOT adds understated design to any decor. The dome spot shade is adjustable via a swivel to direct light around your work space. Available in many on trend colors for classic, modern or retro spaces.

### Overview

<b>Family name</b>	Pivot
<b>Categories</b>	Table Lamps
<b>Shade Shape</b>	Cone
<b>Switch</b>	Inline Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	White
<b>Fixture Material</b>	Iron
<b>Base Color</b>	White
<b>Base Material</b>	Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	15.0
<b>Fixture Height (cm)</b>	45.0
<b>Base Diameter (cm)</b>	15.0
<b>Base Height (cm)</b>	2.0
<b>Shade Diameter (cm)</b>	12.0
<b>Shade Height (cm)</b>	15.0
<b>Cable Length (cm)</b>	150 (20+Inline Switch+120)

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25
<b>Globe Type</b>	E27


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Dimmable</b>	Globe Dependant
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501061770

## Image -dimensions











Last modification 2022-11-19

## PIVOT TL-PK 9329501061817



A modern functional task lamp, the PIVOT adds understated design to any decor. The dome spot shade is adjustable via a swivel to direct light around your work space. Available in many on trend colors for classic, modern or retro spaces.

### Overview

<b>Family name</b>	Pivot
<b>Categories</b>	Table Lamps
<b>Shade Shape</b>	Cone
<b>Switch</b>	Inline Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	Pink
<b>Fixture Pantone Color</b>	RAL 3015
<b>Fixture Material</b>	Iron
<b>Base Color</b>	Pink
<b>Base Material</b>	Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	15.0
<b>Fixture Height (cm)</b>	45.0
<b>Base Diameter (cm)</b>	15.0
<b>Base Height (cm)</b>	2.0
<b>Shade Diameter (cm)</b>	12.0
<b>Shade Height (cm)</b>	15.0
<b>Cable Length (cm)</b>	150 (20+Inline Switch+120)

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe Type</b>	E27
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Dimmable</b>	Globe Dependant
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501061817

Image -dimensions







Last modification 2022-11-19

## PIVOT TL-GN 9329501061824



A modern functional task lamp, the PIVOT adds understated design to any decor. The dome spot shade is adjustable via a swivel to direct light around your work space. Available in many on trend colors for classic, modern or retro spaces.

### Overview

<b>Family name</b>	Pivot
<b>Categories</b>	Table Lamps
<b>Shade Shape</b>	Cone
<b>Switch</b>	Inline Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	Green
<b>Fixture Pantone Color</b>	RAL 6019
<b>Fixture Material</b>	Iron
<b>Base Color</b>	Green
<b>Base Material</b>	Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	15.0
<b>Fixture Height (cm)</b>	45.0
<b>Base Diameter (cm)</b>	15.0
<b>Base Height (cm)</b>	2.0
<b>Shade Diameter (cm)</b>	12.0
<b>Shade Height (cm)</b>	15.0
<b>Cable Length (cm)</b>	150 (20+Inline Switch+120)

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe Type</b>	E27
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Dimmable</b>	Globe Dependant
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501061824

## Image -dimensions









Last modification 2022-11-19

## PIVOT TL-GD 9329501061794



A modern functional task lamp, the PIVOT adds understated design to any decor. The dome spot shade is adjustable via a swivel to direct light around your work space. Available in many on trend colors for classic, modern or retro spaces.

### Overview

<b>Family name</b>	Pivot
<b>Categories</b>	Table Lamps
<b>Shade Shape</b>	Cone
<b>Switch</b>	Inline Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	Gold
<b>Fixture Pantone Color</b>	RAL 1036
<b>Fixture Material</b>	Iron
<b>Base Color</b>	Gold
<b>Base Material</b>	Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	15.0
<b>Fixture Height (cm)</b>	45.0
<b>Base Diameter (cm)</b>	15.0
<b>Base Height (cm)</b>	2.0
<b>Shade Diameter (cm)</b>	12.0
<b>Shade Height (cm)</b>	15.0
<b>Cable Length (cm)</b>	150 (20+Inline Switch+120)

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe Type</b>	E27
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Dimmable</b>	Globe Dependant
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501061794

## Image -dimensions







Last modification

2022-11-19

## PIVOT TL-BK 9329501061787



A modern functional task lamp, the PIVOT adds understated design to any decor. The dome spot shade is adjustable via a swivel to direct light around your work space. Available in many on trend colors for classic, modern or retro spaces.

### Overview

<b>Family name</b>	Pivot
<b>Categories</b>	Table Lamps
<b>Shade Shape</b>	Cone
<b>Switch</b>	Inline Switch
<b>Usage</b>	Indoor Lighting
<b>ERAC Product Registration</b>	SAA-210304-EA

### Color / Material

<b>Fixture Color</b>	Black
<b>Fixture Pantone Color</b>	RAL 9005
<b>Fixture Material</b>	Iron
<b>Base Color</b>	Black
<b>Base Material</b>	Iron
<b>Cable Color</b>	Black
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	15.0
<b>Fixture Height (cm)</b>	45.0
<b>Base Diameter (cm)</b>	15.0
<b>Base Height (cm)</b>	2.0
<b>Shade Diameter (cm)</b>	12.0
<b>Shade Height (cm)</b>	15.0
<b>Cable Length (cm)</b>	150 (20+Inline Switch+120)

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	25

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Globe Type</b>	E27
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	No
<b>Dimmable</b>	Globe Dependant
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Instruction
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501061787

## Image -dimensions

