



product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

CADET.2 TWIN LED SENSOR Black

SKU:LW7162BK

Black twin 30W flood sensor LED

Description

CADET.2 fully adjustable LED outdoor sensor flood light is ideal to assist with home security and everyday convenience. Features include a 12 metre, 160 degree detection range, IP54 outdoor rating, adjustable light sensitivity, distance and timer settings. Powerful 15w COB LED's deliver 1100lm from each spot (2200lm in total). The manual over-ride function allows the Cadet.2 to remain on if required. CADET.2 is constructed with high quality cast aluminium heads and a polycarbonate body. Available in black or white.



Additional information

Brand	Lightwatch
Colour	BLACK
Finish	MATT
Bulb Type	Built-In LED
Wattage	30w
Voltage	240V
Indoor / Outdoor / Alfresco	Outdoor/ Alfresco
Overall Height	16
Overall Width	18
Overall Depth	23
Item Dimensions	W230 H160
Fitting Height	H160
Fitting Width	W230
Fitting Backplate	D120
Fitting Projection	P180

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online www.oriel-lighting.com.au | Details and Specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

Glass/Diffuser Material	GLASS
Primary Material	METAL
Light Source	COB LED
Lumen Output	2200lm
Colour Temperature	4000K
IP Rating	IP54
Colour Rendition (CRI)	>82Ra
Beam Width	120
Dimmable	No
PLU	76127
Supplier Code	LW7162BK
UPI	9324879217941
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 year replacement from date of purchase
Other Information	Manual Over-ride

Images



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.orient-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriol Lighting



product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

ESCORT.2 TWIN LED SENSOR White

SKU:LW7162WH

White twin 30W flood sensor LED

Description

ESCORT.2 fully adjustable LED outdoor sensor flood light is ideal to assist with home security and everyday convenience. Features include a 12 metre, 160 degree detection range, IP54 outdoor rating, adjustable light sensitivity, distance and timer settings. Powerful 15w COB LED's deliver 1100lm from each spot (2200lm in total). The manual over-ride function allows the ESCORT.2 to remain on if required. ESCORT.2 is constructed with high quality cast aluminium heads and a polycarbonate body. Available in black or white.

Additional information



Brand	Lightwatch
Colour	White
Finish	MATT
Bulb Type	Built-In LED
Wattage	30w
Voltage	240V
Indoor / Outdoor / Alfresco	Outdoor/ Alfresco
Overall Height	16
Overall Width	18
Overall Depth	23
Item Dimensions	W230 H160
Fitting Height	H160
Fitting Width	W230
Fitting Backplate	D120
Fitting Projection	P180

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online www.oriel-lighting.com.au | Details and Specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

Glass/Diffuser Material	GLASS
Primary Material	METAL
Light Source	COB LED
Lumen Output	2200lm
Colour Temperature	4000K
IP Rating	IP54
Colour Rendition (CRI)	>82Ra
Beam Width	120
Dimmable	No
PLU	76128
Supplier Code	LW7162WH
UPI	9324879217958
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 year replacement from date of purchase
Other Information	Manual Over-ride

Images



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.orient-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriol Lighting