



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## CHEETA WALL Black

SKU:OL7282BK

Outdoor Black Wall Sconce

### Description

CHEETA outdoor wall light emits a wash of light from around the sides and through the slats at the front. Double insulated, opal acrylic exterior (IP44) wall light with a textured black powder coated aluminium face plate. Perfect for use with an LED globe.

### Additional information



|                           |                |
|---------------------------|----------------|
| <b>Brand</b>              | Oriel Lighting |
| <b>Colour</b>             | BLACK          |
| <b>Bulb Qty</b>           | 1              |
| <b>Bulb Type</b>          | E27            |
| <b>Wattage</b>            | 60W            |
| <b>Bulb Included</b>      | NO             |
| <b>Recommended Globe</b>  | A-LED-7409240  |
| <b>Voltage</b>            | 240V           |
| <b>Overall Height</b>     | 28             |
| <b>Overall Width</b>      | 9              |
| <b>Overall Depth</b>      | 22.5           |
| <b>Item Dimensions</b>    | H280 W225 P90  |
| <b>Fitting Height</b>     | H280           |
| <b>Fitting Width</b>      | W225           |
| <b>Fitting Projection</b> | P90            |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details. Specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

|                               |  |
|-------------------------------|--|
| <b>Classification</b>         | Class II Double Insulated                                  |
| <b>Supplier Code</b>          | OL7282BK   |
| <b>UPI</b>                    | 9324879207607  |
| <b>Electrician To Install</b> | This fitting should be installed by a licenced electrician |
| <b>Warranty / Guarantee</b>   | 1 Year Replacement Guarantee                               |

## Images



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriol Lighting



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## CHEETA WALL Stainless Steel

SKU:OL7282SS

Outdoor 304 Stainless Wall Sconce

### Description

CHEETA outdoor wall light emits a wash of light from around the sides and through the slats at the front. Double insulated, opal acrylic exterior (IP44) wall light with a stainless steel face plate. Perfect for use with an LED globe.

### Additional information



|                           |                 |
|---------------------------|-----------------|
| <b>Brand</b>              | Oriel Lighting  |
| <b>Colour</b>             | Stainless Steel |
| <b>Bulb Qty</b>           | 1               |
| <b>Bulb Type</b>          | E27             |
| <b>Wattage</b>            | 60W             |
| <b>Bulb Included</b>      | NO              |
| <b>Recommended Globe</b>  | A-LED-7409240   |
| <b>Voltage</b>            | 240V            |
| <b>Overall Height</b>     | 28              |
| <b>Overall Width</b>      | 9               |
| <b>Overall Depth</b>      | 22.5            |
| <b>Item Dimensions</b>    | H280 W225 P90   |
| <b>Fitting Height</b>     | H280            |
| <b>Fitting Width</b>      | W225            |
| <b>Fitting Projection</b> | P90             |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

|                               |  |
|-------------------------------|--|
| <b>Classification</b>         | Class II Double Insulated                                  |
| <b>Supplier Code</b>          | OL7282SS   |
| <b>UPI</b>                    | 9324879207713  |
| <b>Electrician To Install</b> | This fitting should be installed by a licenced electrician |
| <b>Warranty / Guarantee</b>   | 1 Year Replacement Guarantee                               |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## CHEETA SENSOR Black

SKU:OL7293BK

Outdoor Black Wall Sconce with Sensor

### Description

CHEETA SENSOR includes a passive infrared motion sensor (PIR) which activates the light as you approach. Sensor works after dark and once activated, the light will stay on for approximately 90 seconds. CHEETA also has a manual over-ride, so the light can be switched to stay on. Detection range is 120 degree, 8m max. The CHEETA emits a wash of light from around its sides and through the slats at the front. Perfect for use with an LED globe. Cheeta is a double insulated, opal acrylic exterior (IP44) wall light with a matt black or stainless steel finished face plate.

### Additional information



|                           |                |
|---------------------------|----------------|
| <b>Brand</b>              | Oriel Lighting |
| <b>Colour</b>             | BLACK          |
| <b>Bulb Qty</b>           | 1              |
| <b>Bulb Type</b>          | E27            |
| <b>Wattage</b>            | 60W            |
| <b>Bulb Included</b>      | NO             |
| <b>Recommended Globe</b>  | A-LED-7409240  |
| <b>Voltage</b>            | 240V           |
| <b>Overall Height</b>     | 28             |
| <b>Overall Width</b>      | 9              |
| <b>Overall Depth</b>      | 22.5           |
| <b>Item Dimensions</b>    | H280 W225 P90  |
| <b>Fitting Height</b>     | H280           |
| <b>Fitting Width</b>      | W225           |
| <b>Fitting Projection</b> | P90            |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details. Specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

|                               |  |
|-------------------------------|--|
| <b>Classification</b>         | Class II Double Insulated                                  |
| <b>Supplier Code</b>          | OL7293BK   |
| <b>UPI</b>                    | 9324879207720  |
| <b>Electrician To Install</b> | This fitting should be installed by a licenced electrician |
| <b>Warranty / Guarantee</b>   | 1 Year Replacement Guarantee                               |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## CHEETA SENSOR Stainless Steel

SKU:OL7293SS

Outdoor 304 Stainless Wall Sconce with Sensor

### Description

CHEETA SENSOR includes a passive infrared motion sensor (PIR) which activates the light as you approach. Sensor works after dark and once activated, the light will stay on for approximately 90 seconds. CHEETA also has a manual over-ride, so the light can be switched to stay on. Detection range is 120 degree, 8m max. The CHEETA emits a wash of light from around its sides and through the slats at the front. Perfect for use with an LED globe. Cheeta is a double insulated, opal acrylic exterior (IP44) wall light with a matt black or stainless steel finished face plate.

### Additional information



|                           |                 |
|---------------------------|-----------------|
| <b>Brand</b>              | Oriel Lighting  |
| <b>Colour</b>             | Stainless Steel |
| <b>Bulb Qty</b>           | 1               |
| <b>Bulb Type</b>          | E27             |
| <b>Wattage</b>            | 60W             |
| <b>Bulb Included</b>      | NO              |
| <b>Recommended Globe</b>  | A-LED-7409240   |
| <b>Voltage</b>            | 240V            |
| <b>Overall Height</b>     | 28              |
| <b>Overall Width</b>      | 9               |
| <b>Overall Depth</b>      | 22.5            |
| <b>Item Dimensions</b>    | H280 W225 P90   |
| <b>Fitting Height</b>     | H280            |
| <b>Fitting Width</b>      | W225            |
| <b>Fitting Projection</b> | P90             |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details. Specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

|                               |  |
|-------------------------------|--|
| <b>Classification</b>         | Class II Double Insulated                                  |
| <b>Supplier Code</b>          | OL7293SS   |
| <b>UPI</b>                    | 9324879207737  |
| <b>Electrician To Install</b> | This fitting should be installed by a licenced electrician |
| <b>Warranty / Guarantee</b>   | 1 Year Replacement Guarantee                               |

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)