

www.oriel-lighting.com.au | quality lighting at affordable prices

# **HIGHGATE DOWN Black**

SKU:OL7661BK

Traditional Outdoor Wall Light

### Description

Traditional coach style downward facing outdoor (IP44) wall light. Powder coated aluminium with clear, bevelled glass panels. Open at the bottom.

## Additional information



Brand	Oriel Lighting
Colour	BLACK
Bulb Qty	1
Bulb Type	E27
Wattage	60W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	33
Overall Width	19
Overall Depth	17
Item Dimensions	H330 W170 P190
Fitting Height	H330
Fitting Width	W170
Fitting Projection	P190

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **ArimanycMaterjal**ing.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7661BK
UPI	9324879207706
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





www.oriel-lighting.com.au | quality lighting at affordable prices

# **HIGHGATE DOWN Green**

SKU:OL7661GN

Traditional Outdoor Wall Light

#### Description

Traditional coach style downward facing outdoor (IP44) wall light. Powder coated aluminium with clear, bevelled glass panels. Open at the bottom.

### Additional information



Brand	Oriel Lighting
Colour	Green
Bulb Qty	1
Bulb Type	E27
Wattage	60W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	33
Overall Width	19
Overall Depth	17
Item Dimensions	H330 W170 P190
Fitting Height	H330
Fitting Width	W170
Fitting Projection	P190 ulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights)

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **ArimanydMaterjal**ing.com.au | DetailsAndspecifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7661GN
UPI	9324879207812
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





www.oriel-lighting.com.au | quality lighting at affordable prices

# **HIGHGATE DOWN Primrose**

SKU:OL7661PR

Traditional Outdoor Wall Light

#### Description

Traditional coach style downward facing outdoor (IP44) wall light. Powder coated aluminium with clear, bevelled glass panels. Open at the bottom.

## Additional information



Brand	Oriel Lighting
Colour	Cream
Bulb Qty	1
Bulb Type	E27
Wattage	60W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	33
Overall Width	19
Overall Depth	17
Item Dimensions	H330 W170 P190
Fitting Height	H330
Fitting Width	W170
Fitting Projection	P190 ) No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **RrimarydMaterjat**ing.com.au | DetailsEmAlspecifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7661PR
UPI	9324879207829
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





www.oriel-lighting.com.au | quality lighting at affordable prices

## HIGHGATE UP Black

SKU:OL7662BK

Traditional Outdoor Wall Light

#### Description

Traditional coach style outdoor (IP44) wall light. Powder coated aluminium with clear, bevelled glass panels.

## Additional information



Brand	Oriel Lighting
Colour	BLACK
Bulb Qty	1
Bulb Type	E27
Wattage	60W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	38
Overall Width	20
Overall Depth	17
Item Dimensions	H380 W170 P200
Fitting Height	H380
Fitting Width	W170
Fitting Projection	P200 Ibs) No representations are made as to the suitability of this product for your application. All fixed lights (other than DIV lights)

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **RrimarydMaterjat**ing.com.au | DetailsEmAlspecifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7662BK
UPI	9324879207836
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





www.oriel-lighting.com.au | quality lighting at affordable prices

## **HIGHGATE UP Green**

SKU:OL7662GN

Traditional Outdoor Wall Light

#### Description

Traditional coach style outdoor (IP44) wall light. Powder coated aluminium with clear, bevelled glass panels.

## Additional information



Brand	Oriel Lighting
Colour	Green
Bulb Qty	1
Bulb Type	E27
Wattage	60W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	38
Overall Width	20
Overall Depth	17
Item Dimensions	H380 W170 P200
Fitting Height	H380
Fitting Width	W170
Fitting Projection	P200 ulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights)

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **RrimarydMaterjating.com.au** | DetailsEmAlspecifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7662GN
UPI	9324879207843
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





www.oriel-lighting.com.au | quality lighting at affordable prices

## **HIGHGATE UP Primrose**

SKU:OL7662PR

Traditional Outdoor Wall Light

#### Description

Traditional coach style outdoor (IP44) wall light. Powder coated aluminium with clear, bevelled glass panels.

## Additional information



Brand	Oriel Lighting
Colour	Cream
Bulb Qty	1
Bulb Type	E27
Wattage	60W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	37
Overall Width	20
Overall Depth	17
Item Dimensions	H370 W170 P200
Fitting Height	H370
Fitting Width	W170
Fitting Projection	P200 P200 Dulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY light

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **RrimarycMaterjal**ing.com.au | Details **End** specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7662PR
UPI	9324879207850
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





www.oriel-lighting.com.au | quality lighting at affordable prices

# **HIGHGATE SENSOR Black**


SKU:OL7664BK

Outdoor Light with Motion Sensor

### Description

Traditional coach style outdoor wall light with passive infared motion sensor (PIR). Sensor adjustments include the length of time that the light stays on for after activation (from 10 seconds up to 10 minutes) and the sensitivity of the sensor (how easily it is triggered by heat movement). Detection range is 100 degrees, up to 5 metres. Powder coated aluminium with clear, bevelled glass panels. Textured black finish.

### Additional information



Brand	Oriel Lighting
Colour	BLACK
Bulb Qty	1
Bulb Type	E27
Wattage	42W
Bulb Included	NO
Recommended Globe	A-LED-21104227
Voltage	240V
Overall Height	40
Overall Width	21
Overall Depth	14
Item Dimensions	H400 W140 P210
Fitting Height	H400
Fitting Width	W140
Fitting Backplate	W115 H160 W115 H160 Mults) No representations are made as to the suitability of this product for your application. All fixed lights (other than DIX I

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online **EtttingvProjectighting**.com.au | Detaile2and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



Supplier Code	OL7664BK
UPI	9324879207805
Electrician To Install	This fitting should be installed by a licenced electrician
Warranty / Guarantee	1 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting

