

# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

# **HOTEL**

SKU:OL52103BK

Adjustable HOTEL wall light. Inbuilt 3W LED in 4000K. Switch located on the front of the backplate along with a convienent USB socket.

### Description

Adjustable HOTEL wall light. Inbuilt 3W LED in 4000K. Switch located on the front of the backplate along with a convienent USB socket.

#### **Additional information**



Brand	Oriel Lighting
Colour	BLACK
Wattage	3W
Bulb Included	INBUILT.LED
Voltage	240V
Overall Height	25
Overall Width	10
Overall Depth	19
Fitting Height	250
Fitting Width	100
Fitting Backplate	100Wx250Hx25D
Fitting Other Dimension	Spot Head 110mm long 27D
Primary Material	METAL
Light Source	COB LED
Lumen Output	200

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.orielGigldtingTemperattDetails and specifications are curre600aKthe time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



Beam Width	30Degree
Dimmable	No
PLU	76354
Supplier Code	OL52103BK
UPI	9324879222303
In The Box	1 x wall light
Electrician To Install	YES
Warranty / Guarantee	1 Year

## **Images**



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

# **HOTEL**

SKU:OL52103WH

Adjustable HOTEL wall light. Inbuilt 3W LED in 4000K. Switch located on the front of the backplate along with a convienent USB socket.

### Description

Adjustable HOTEL wall light. Inbuilt 3W LED in 4000K. Switch located on the front of the backplate along with a convienent USB socket.

#### **Additional information**



Brand	Oriel Lighting
Colour	White
Wattage	3W
Bulb Included	INBUILT.LED
Voltage	240V
Overall Height	25
Overall Width	10
Overall Depth	19
Fitting Height	250
Fitting Width	100
Fitting Backplate	100Wx250Hx25D
Fitting Other Dimension	Spot Head 110mm long 27D
Primary Material	METAL
Light Source	COB LED
Lumen Output	200

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.orielGigiduingTempera(tDiedails and specifications are curre400aKthe time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



Beam Width	30Degree
Dimmable	No
PLU	76355
Supplier Code	OL52103WH
UPI	9324879222419
In The Box	1 x wall light
Electrician To Install	YES
Warranty / Guarantee	1 Year

### **Images**



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting