



product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

LUNA EYELID Black

SKU:OL7753BK

12V IP44 Surface Mount Wall Light

Description

12V surface mounted outdoor step light (IP44). Non-glare solid eyelid makes Luna a good lighting solution for pathways. Use with an LED bi-pin or 20w halogen bi-pin. Also requires a 12V transformer. Part of the Lightscaping range of lights.

Additional information



Brand	Lightscaping
Colour	BLACK
Bulb Qty	1
Bulb Type	JC G4
Wattage	20w
Bulb Included	NO
Recommended Globe	A-LED-9103840
Voltage	12V
Overall Height	10
Overall Width	5
Overall Depth	10
Item Dimensions	D100 P50
Fitting Diameter	D100
Fitting Projection	P50
Primary Material	METAL

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

UPI	9324879208178
DIY	A competent handy-person can DIY
Warranty / Guarantee	1 Year Replacement Guarantee
Other Information	Includes GEL Connectors

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.
(c) Oriel Lighting





product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

LUNA EYELID Stainless Steel

SKU:OL7753SS

12V IP44 Surface Mount Wall Light

Description

12V surface mounted outdoor step light (IP44). Non-glare solid eyelid makes Luna a good lighting solution for pathways. Use with an LED bi-pin or 20w halogen bi-pin. Also requires a 12V transformer. Part of the Lightscaping range of lights.

Additional information



Brand	Lightscaping
Colour	Stainless Steel
Bulb Qty	1
Bulb Type	JC G4
Wattage	20w
Bulb Included	NO
Recommended Globe	A-LED-9103840
Voltage	12V
Overall Height	10
Overall Width	5
Overall Depth	10
Item Dimensions	D100 P50
Fitting Diameter	D100
Fitting Projection	P50
Primary Material	METAL

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.


(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | www.oriel-lighting.com.au

UPI	9324879208109
DIY	A competent handy-person can DIY
Warranty / Guarantee	1 Year Replacement Guarantee

Images



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting