

product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

MAGRO LED Silver

SKU:UA4510SIL

Low Profile LED Cabinet Light Silver 10mm Recess

Description

MAGRO LED is a discreet and energy efficient recessed light with a tiny 10mm recess, making it ideal for use in display and under-bench areas. The frosted glass front, allows for even distribution of light from the quality 2w CREE LED (built-in chip). Col

Additional information



Brand	Urban Architectural Lighting
Colour	Silver
Bulb Type	Built In LED
Wattage	2w
Overall Height	7
Overall Width	7
Overall Depth	1
Item Dimensions	D70 C60 Rec10
Fitting Diameter	D70
Fitting Cutout	C60
Fitting Recess	R10
Fitting Other Dimension	1m cable
Primary Material	METAL
Light Source	CREE LED
Colour Temperature	3000K). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lig

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online Catlour Rerichtight (QRt) m.au | Details an Respecifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



UPI	9324879214148	
Electrician To Install	This fitting should be installed by a licenced electrician	
Warranty / Guarantee	1 Year Replacement Guarantee	

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting





product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

MAGRO LED White

SKU:UA4510WH

Low Profile LED Cabinet Light White 10mm Recess

Description

MAGRO LED is a discreet and energy efficient recessed light with a tiny 10mm recess, making it ideal for use in display and under-bench areas. The frosted glass front, allows for even distribution of light from the quality 2w CREE LED (built-in chip). Col

Additional information



Brand	Urban Architectural Lighting
Colour	White
Bulb Type	Built In LED
Wattage	2w
Overall Height	7
Overall Width	7
Overall Depth	1
Item Dimensions	D70 C60 Rec10
Fitting Diameter	D70
Fitting Cutout	C60
Fitting Recess	R10
Fitting Other Dimension	1m cable
Primary Material	METAL
Light Source	CREE LED
Colour Temperature	3000K

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online Catlour Rerichtight (CR) m.au | Details an Respecifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting



UPI	9324879214155	
Electrician To Install	This fitting should be installed by a licenced electrician	
Warranty / Guarantee	1 Year Replacement Guarantee	

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: www.oriel-lighting.com.au | Details and specifications are current at the time of printing, and with constant product development, subject to change. (c) Oriel Lighting

