



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## MARS.10

SKU:LF3620WH

Dimmable 10w LED Downlight

### Description

MARS 10W LED recessed light with white trim and opaque acrylic diffuser. MARS features CCT (Colour Change Technology) allowing the installer to select the colour temperature between warm white (3000K), cool white (4000K) or daylight (6000K). MARS is dimma

### Additional information



<b>Brand</b>	Lighting Factory
<b>Colour</b>	White
<b>Bulb Type</b>	Built-In LED
<b>Wattage</b>	10w
<b>Voltage</b>	240V
<b>Indoor / Outdoor / Alfresco</b>	Indoor / Alfresco
<b>Overall Height</b>	11.5
<b>Overall Width</b>	6
<b>Overall Depth</b>	11.5
<b>Fitting Dimensions</b>	D115
<b>Fitting Diameter</b>	D115
<b>Fitting Cutout</b>	C90
<b>Fitting Projection</b>	P2
<b>Fitting Recess</b>	Rec60
<b>Fitting Material</b>	Acrylic

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, only on [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

<b>Primary Material</b>	ACRYLIC
<b>IC Rating</b>	IC-4
<b>Light Source</b>	SMD
<b>Lumen Output</b>	700-785lm
<b>Colour Temperature</b>	3000/4000/5000K
<b>IP Rating</b>	IP44
<b>Colour Rendition (CRI)</b>	>Ra82
<b>Classification</b>	Class II
<b>Beam Width</b>	120 degree
<b>Dimmable</b>	Suitable for Dimming
<b>PLU</b>	76176
<b>Supplier Code</b>	LF3620WH
<b>UPI</b>	9324879218900
<b>Accessories - Required</b>	Plugs into socket in ceiling
<b>Warranty / Guarantee</b>	3 Year Replacement Guarantee when used in a domestic application
<b>Other Information</b>	Driver is Inbuilt

## Images



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## MARS.15

SKU:LF3630WH

### Description

MARS 15W LED recessed light with white trim and opaque acrylic diffuser. MARS features CCT (Colour Change Technology) allowing the installer to select the colour temperature between warm white (3000K), cool white (4000K) or daylight (6000K). MARS is dimmable.

### Additional information



<b>Brand</b>	Lighting Factory
<b>Colour</b>	White
<b>Bulb Type</b>	Built-In LED
<b>Wattage</b>	15W
<b>Voltage</b>	240V
<b>Indoor / Outdoor / Alfresco</b>	Indoor / Alfresco
<b>Overall Height</b>	14
<b>Overall Width</b>	7
<b>Overall Depth</b>	14
<b>Fitting Dimensions</b>	D140
<b>Fitting Diameter</b>	D140
<b>Fitting Cutout</b>	C120
<b>Fitting Projection</b>	P2
<b>Fitting Recess</b>	Rec70
<b>Fitting Material</b>	Acrylic

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, only on [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Primary Material</b>	ACRYLIC
<b>IC Rating</b>	IC-4
<b>Light Source</b>	SMD
<b>Lumen Output</b>	1350-1450lm
<b>Colour Temperature</b>	3000/4000/5000K
<b>IP Rating</b>	IP44
<b>Colour Rendition (CRI)</b>	>Ra82
<b>Classification</b>	Class II
<b>Beam Width</b>	120 degree
<b>Dimmable</b>	Dimmable
<b>PLU</b>	76198
<b>Supplier Code</b>	LF3630WH
<b>UPI</b>	9324879220064
<b>Accessories - Required</b>	Plugs into socket in ceiling
<b>Warranty / Guarantee</b>	3 Year Replacement Guarantee when used in a domestic application
<b>Other Information</b>	Driver is Inbuilt

## Images



Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting