



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## PEKO.3 LED 3000K

SKU:UA4240/3000WH

3000K LED Recessed Wall Light with Driver 80mm

### Description

PEKO recessed wall fitting features a 3W COB LED giving an excellent colour rendition in excess of Ra84. This fitting has a colour temperature of 3000K, and has a light output of approx. 130 lumens. The PEKO requires a 350mA constant current supply, and is supplied complete with a driver.

### Additional information



<b>Brand</b>	Urban Architectural Lighting
<b>Colour</b>	White
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	3W
<b>Voltage</b>	240V
<b>Overall Height</b>	8
<b>Overall Width</b>	8
<b>Overall Depth</b>	7
<b>Item Dimensions</b>	80x80 C66x73 Rec70
<b>Fitting Height</b>	H80
<b>Fitting Width</b>	W80
<b>Fitting Cutout</b>	C66x73
<b>Fitting Recess</b>	R70
<b>Primary Material</b>	METAL
<b>Light Source</b>	COB Sharp LED

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>IP Rating</b>	IP20
<b>Colour Rendition (CRI)</b>	Ra>84
<b>Supplier Code</b>	UA4240/3000WH
<b>UPI</b>	9324879214018
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	3 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## PEKO.3 LED 4000K

SKU:UA4240/4000WH

4000K LED Recessed Wall Light with Driver 80mm

### Description

PEKO recessed wall fitting features a 3W COB LED giving an excellent colour rendition in excess of Ra84. This fitting has a colour temperature of 4000K, and has a light output of approx. 130 lumens. The PEKO requires a 350mA constant current supply, and is supplied complete with a driver.

### Additional information



<b>Brand</b>	Urban Architectural Lighting
<b>Colour</b>	White
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	3W
<b>Voltage</b>	240V
<b>Overall Height</b>	8
<b>Overall Width</b>	8
<b>Overall Depth</b>	7
<b>Item Dimensions</b>	80x80 C66x73 Rec70
<b>Fitting Height</b>	H80
<b>Fitting Width</b>	W80
<b>Fitting Cutout</b>	C66x73
<b>Fitting Recess</b>	R70
<b>Primary Material</b>	METAL
<b>Light Source</b>	COB Sharp LED

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting

<b>IP Rating</b>	IP20
<b>Colour Rendition (CRI)</b>	Ra>84
<b>Supplier Code</b>	UA4240/4000WH
<b>UPI</b>	9324879214025
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	3 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## PEKO.6 LED 3000K

SKU:UA4245/3000WH

3000K Recessed Wall Light with Driver 120mm

### Description

PEKO.6 recessed wall fitting features a 6W COB LED giving an excellent colour rendition in excess of Ra84. This fitting has a colour temperature of 3000K, and has a light output of approx. 290 lumens. The PEKO.6 is supplied complete with a dedicated 450mA driver.

### Additional information



<b>Brand</b>	Urban Architectural Lighting
<b>Colour</b>	White
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	6w
<b>Bulb Included</b>	YES
<b>Voltage</b>	240V
<b>Overall Height</b>	15.5
<b>Overall Width</b>	12
<b>Overall Depth</b>	7
<b>Item Dimensions</b>	W120 H155 C105x135
<b>Fitting Height</b>	H155
<b>Fitting Width</b>	W120
<b>Fitting Cutout</b>	C105x135
<b>Fitting Recess</b>	R70
<b>Primary Material</b>	METAL

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details SHARP SPECIFICATIONS are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Colour Temperature</b>	3000K
<b>Colour Rendition (CRI)</b>	>Ra84
<b>Supplier Code</b>	UA4245/3000WH
<b>UPI</b>	9324879215886
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	3 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)



# product specification

www.oriel-lighting.com.au | quality lighting at affordable prices

## PEKO.6 LED 4000K

SKU:UA4245/4000WH

4000K Recessed Wall Light with Driver 120mm

### Description

PEKO.6 recessed wall fitting features a 6W COB LED giving an excellent colour rendition in excess of Ra84. This fitting has a colour temperature of 4000K, and has a light output of approx. 290 lumens. The PEKO.6 is supplied complete with a dedicated 450mA driver.

### Additional information



<b>Brand</b>	Urban Architectural Lighting
<b>Colour</b>	White
<b>Bulb Type</b>	Built In LED
<b>Wattage</b>	6w
<b>Bulb Included</b>	YES
<b>Voltage</b>	240V
<b>Overall Height</b>	15.5
<b>Overall Width</b>	12
<b>Overall Depth</b>	7
<b>Item Dimensions</b>	W120 H155 C105x135
<b>Fitting Height</b>	H155
<b>Fitting Width</b>	W120
<b>Fitting Cutout</b>	C105x135
<b>Fitting Recess</b>	R70
<b>Primary Material</b>	METAL

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au) | Details SHARP SPECIFICATIONS are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.oriel-lighting.com.au](http://www.oriel-lighting.com.au)

<b>Colour Temperature</b>	4000K
<b>Colour Rendition (CRI)</b>	>Ra84
<b>Supplier Code</b>	UA4245/4000WH
<b>UPI</b>	9324879215800
<b>Electrician To Install</b>	This fitting should be installed by a licenced electrician
<b>Warranty / Guarantee</b>	3 Year Replacement Guarantee

Unless stated, fittings do not include globes (bulbs). No representations are made as to the suitability of this product for your application. All fixed lights (other than DIY lights) should be installed by a licensed electrical contractor. Due to continuing product development, some specifications may change over time. Refer to our detailed Terms and Conditions, online at: [www.orient-lighting.com.au](http://www.orient-lighting.com.au) | Details and specifications are current at the time of printing, and with constant product development, subject to change.

(c) Oriel Lighting



quality lighting at affordable prices | specifications subject to change without notice - check the website for the latest information | [www.orient-lighting.com.au](http://www.orient-lighting.com.au)