



RONDO

52" CEILING FAN



SPECIFICATIONS	52" 4 BLADE ABS CEILING FAN
MATERIAL	ABS BODY & ABS BLADES
MOTOR SIZE	100 x 20mm DC MOTOR
POWER INPUT	220-240V AC 50Hz
MOTOR WATTAGE	38W DC
BLADE PITCH	13 DEGREES

- Latest DC energy saving motor technology
- DC motors save you on running costs by using less energy
- Constructed of high grade engineered plastics
- Non-rusting, anti-corrosive, suitable for indoor/covered outdoor use
- Reversible airflow for summer/winter use
- Suitable for raked/sloping ceilings - maximum 15 degree pitch
- Includes 6 speed remote control with timer function
- Can be installed as a 3 or 4 bladed fan

4 Blade Performance Data

RPM	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	230	205	185	165	145	125
AIRFLOW (m³/MIN)	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	215	200	180	160	140	120

WARRANTY


- 6 Years = 2 year in home + 4 years parts

ACCESSORIES AVAILABLE

- Extension rods 900mm & 1500mm
- Coloured blade sets in KOA and WALNUT

3 Blade Performance Data

RPM	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	256	235	210	186	161	136
AIRFLOW (m³/MIN)	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	225	207	195	176	150	125



SPARE BLADE SETS AVAILABLE IN

WALNUT
RONDO52BSWALNUT



KOA
RONDO52BSKOA



EXTENSION RODS AVAILABLE in 900mm and 1500mm




900mm White - DKA290263

900mm Black - DKA290267

1500mm White - DKA290333


1500mm Black - DKA290334

CAN BE INSTALLED AS



3 BLADE

OR



4 BLADE



MUST BE INSTALLED
BY A LICENSED ELECTRICIAN

www.dekafans.com.au

RONDO

52" CEILING FAN



INCLUDES
REMOTE
CONTROL



White - RONDO52WH



Black - RONDO52BK

DEKATM
Innovate The Future



DEKATM
Innovate The Future

RONDO

52" CEILING FAN WITH LED LIGHT



SPECIFICATIONS	52" 4 BLADE ABS CEILING FAN WITH 20W CCT LIGHT		
MATERIAL	ABS BODY & ABS BLADES		
MOTOR SIZE	100 x 20mm DC MOTOR		
POWER INPUT	220-240V AC 50Hz		
MOTOR WATTAGE	38W DC		
BLADE PITCH	13 DEGREES		
LED WATTAGE	20 WATT		
COLOUR TEMP	3000K	4000K	5700K
LUMENS +/- 10%	967	1042	1100

4 Blade Performance Data

RPM	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	230	205	185	165	145	125
AIRFLOW (m ² /MIN)	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	215	200	180	160	140	120

3 Blade Performance Data

RPM	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	256	235	210	186	161	136
AIRFLOW (m ² /MIN)	6 SPEED	5 SPEED	4 SPEED	3 SPEED	2 SPEED	1 SPEED
	225	207	195	176	150	125


- Latest DC energy saving motor technology
- DC motors save you on running costs by using less energy
- Constructed of high grade engineered plastics
- Non-rusting, anti-corrosive, suitable for indoor/covered outdoor use
- Reversible airflow for summer/winter use
- Suitable for raked/sloping ceilings - maximum 15 degree pitch
- Includes 6 speed remote control with timer function
- Can be installed as a 3 or 4 bladed fan

WARRANTY

- 6 Years = 2 year in home + 4 years parts[^]

ACCESSORIES AVAILABLE

- Extension rods 900mm & 1500mm
- Coloured blade sets in KOA and WALNUT



SPARE BLADE SETS AVAILABLE IN

WALNUT
RONDO52BSWALNUT



KOA
RONDO52BSKOA



EXTENSION RODS AVAILABLE in 900mm and 1500mm




900mm White - DKA290263

900mm Black - DKA290267

1500mm White - DKA290333


1500mm Black - DKA290334

CAN BE INSTALLED AS



3 BLADE

OR



4 BLADE



MUST BE INSTALLED
BY A LICENSED ELECTRICIAN

www.dekafans.com.au

RONDO

52" CEILING FAN WITH LED LIGHT



INCLUDES
REMOTE
CONTROL



White - RONDO52LEDWH



Black - RONDO52LEDBK

DEKATM
Innovate The Future

