Data Sheet

Telbix.

Last modification 2023-09-03

SERANO2 FL-GD
9329501065549

The Serano floor lamp combines modern design with a classic touch. It features a textured elongated panel and utilises energy-efficient LED lighting that can be dimmed in three steps. With its sleek and minimalist aesthetic, this lamp effortlessly adds sophistication to any space. Providing a softer ambience, the Serano floor lamp offers versatile lighting options. Its clean lines and attention to detail make it a stylish statement piece that complements various interior styles. The Serano floor lamp is the perfect choice for those seeking a contemporary yet timeless lighting solution.

Overview

Family name	Serano II
Categories	Floor Lamps
Switch	Button switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Black, Gold
Fixture Material	Aluminium
Base Color	Black
Base Material	Aluminium

Size

Fixture Length (cm)	23.0
Fixture Height (cm)	132.0
Cable Length (cm)	200

Specification

Voltage Input	240V
Total Wattage (max)	30
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	2400
Color Temperature	Warm White
Color Kelvin	3000k

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Rendering	>85
Dimmable	Yes - Pushed Dimming
Current Output	1500
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN	9329501065549

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Telbix.

Last modification 2023-09-03

SERANO2 FL-SL
9329501065556



The Serano floor lamp combines modern design with a classic touch. It features a textured elongated panel and utilises energy-efficient LED lighting that can be dimmed in three steps. With its sleek and minimalist aesthetic, this lamp effortlessly adds sophistication to any space. Providing a softer ambience, the Serano floor lamp offers versatile lighting options. Its clean lines and attention to detail make it a stylish statement piece that complements various interior styles. The Serano floor lamp is the perfect choice for those seeking a contemporary yet timeless lighting solution.

Overview

Family name	Serano II
Categories	Floor Lamps
Switch	Button switch
Usage	Indoor Lighting

Color / Material

Fixture Color	Silver, Black
Fixture Material	Aluminium, Acrylic
Base Color	Black
Base Material	Aluminium

Size

Fixture Length (cm)	23.0
Fixture Height (cm)	132.0
Cable Length (cm)	200

Specification

Voltage Input	240V
Total Wattage (max)	30
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	2400
Color Temperature	Warm White
Color Kelvin	3000k

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Color Rendering	>85
Dimmable	Yes - Pushed Dimming
Current Output	1500
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP20
Lead and Plug	Yes
Approvals	RCM
Box Contents	Instruction
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN	9329501065556

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.