

Last modification

2022-11-29

## SNAP RD-BK 9329501057964



### **Overview**

Family name Snap
Categories Stair Lights
Mounting Recess

**Usage** Indoor Lighting,Trade Selection

### Color / Material

Fixture ColorBlackFixture MaterialAluminiumDiffuser ColorClear

**Diffuser Material** Polycarbonate

### Size

Fixture Diameter (cm)8.0Fixture Height (cm)4.5Fixture Projection (cm)0.4Cut Out6

## **Specification**

Voltage Input 240V Wattage (max) 3

**Globe Type** LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 240

Color Temperature Natural White

 Color Kelvin
 4000k

 Color Rendering
 >80

 Dimmable
 No

 Power Factor
 >0.90

 Current Output
 700

**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



**Approvals** RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


**Care Instructions** Do not use strong liquid cleaners, Wipe clean with a dry cloth


Replacement Warranty \*3 Year

Barcode

**GTIN** 9329501057964

**Image -dimensions** 





# Telbix.





Last modification

2022-11-29

## SNAP RD-WH 9329501041055



### **Overview**

Family nameSnapCategoriesStair LightsMountingRecess

**Usage** Indoor Lighting,Trade Selection

### Color / Material

Fixture ColorWhiteFixture MaterialAluminiumDiffuser ColorClear

**Diffuser Material** Polycarbonate

## <u>Size</u>

Fixture Diameter (cm)8.0Fixture Height (cm)4.5Fixture Projection (cm)0.4Cut Out6

## **Specification**

Voltage Input 240V Wattage (max) 3

**Globe Type** LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 240

Color Temperature Natural White

 Color Kelvin
 4000k

 Color Rendering
 >80

 Dimmable
 No

 Power Factor
 >0.90

 Current Output
 700

**Electrical Protection** CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



**Approvals** RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

**Care Instructions** Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty \*3 Year

<u>Barcode</u>

**GTIN** 9329501041055

**Image -dimensions** 

