

Last modification

2022-11-29

SNAP SQ-BK
9329501057971



Overview

Family name	Snap
Categories	Stair Lights
Mounting	Recess
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Black
Fixture Material	Aluminium
Diffuser Color	Clear
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.0
Fixture Width (cm)	8.0
Fixture Height (cm)	4.5
Fixture Projection (cm)	0.4
Cut Out	6

Specification

Voltage Input	240V
Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	240
Color Temperature	Natural White
Color Kelvin	4000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.90
Current Output	700
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Approvals	RCM
Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501057971

Image -dimensions





Last modification 2022-11-29

SNAP SQ-WH
9329501041062



Overview

Family name	Snap
Categories	Stair Lights
Mounting	Recess
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	White
Fixture Material	Aluminium
Diffuser Color	Clear
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.0
Fixture Width (cm)	8.0
Fixture Height (cm)	4.5
Fixture Projection (cm)	0.4
Cut Out	6

Specification

Voltage Input	240V
Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	240
Color Temperature	Natural White
Color Kelvin	4000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.90
Current Output	700
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Approvals	RCM
Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501041062

Image -dimensions



• D: 80 L: 85 •



