

Last modification 2022-11-29

SOLITA WB20-AB
9329501049877



Overview

Family name	Solita
Categories	Wall Lights
Mounting	Surface
This item includes	Glass
Switch	Slide Switch
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Antique Brass,Frost
Fixture Material	Iron,Glass
Canopy Color	Antique Brass
Diffuser Material	Glass
Glass Color	Frost

Size

Fixture Length (cm)	20.0
Fixture Width (cm)	20.0
Fixture Projection (cm)	7.5

Specification

Voltage Input	240V
Wattage (max)	12
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	960
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>84
Dimmable	Yes
Current Output	250
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


IP rating	IP20
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501049877

Image -dimensions

switched CCT





Last modification 2022-11-29

SOLITA WB20-WH 9329501049907



Overview

Family name	Solita
Categories	Wall Lights
Mounting	Surface
This item includes	Glass
Switch	Slide Switch
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Frost,White
Fixture Material	Iron,Glass
Canopy Color	White
Diffuser Material	Glass
Glass Color	Frost

Size

Fixture Length (cm)	20.0
Fixture Width (cm)	20.0
Fixture Projection (cm)	7.5

Specification

Voltage Input	240V
Wattage (max)	12
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	960
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>84
Dimmable	Yes
Current Output	250
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


IP rating	IP20
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501049907

Image -dimensions

switched CCT





Last modification 2022-11-29

SOLITA WB20-NK
9329501049884



Overview

Family name	Solita
Categories	Wall Lights
Mounting	Surface
This item includes	Glass
Switch	Slide Switch
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Frost,Nickel
Fixture Material	Iron,Glass
Canopy Color	Nickel
Diffuser Material	Glass
Glass Color	Frost

Size

Fixture Length (cm)	20.0
Fixture Width (cm)	20.0
Fixture Projection (cm)	7.5

Specification

Voltage Input	240V
Wattage (max)	12
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	960
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>84
Dimmable	Yes
Current Output	250
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


IP rating	IP20
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501049884

Image -dimensions

switched CCT





Last modification 2022-11-29

SOLITA WB20-BK
9329501049891



Overview

Family name	Solita
Categories	Wall Lights
Mounting	Surface
This item includes	Glass
Switch	Slide Switch
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Black,Frost
Fixture Material	Iron,Glass
Canopy Color	Black
Diffuser Material	Glass
Glass Color	Frost

Size

Fixture Length (cm)	20.0
Fixture Width (cm)	20.0
Fixture Projection (cm)	7.5

Specification

Voltage Input	240V
Wattage (max)	12
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	960
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Color Rendering	>84
Dimmable	Yes
Current Output	250
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501049891

Image -dimensions

switched CCT

