

Last modification 2022-12-01

STOW SQ-SL.830
9329501041918



Overview

Family name	Stow
Categories	Stair Lights
Mounting	Recess
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Silver
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.5
Fixture Width (cm)	8.5
Fixture Height (cm)	2.5
Base Diameter (cm)	7.0
Base Length (cm)	6.5
Base Width (cm)	6.5
Base Height (cm)	0.5

Specification

Voltage Input	240V
Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	200
Color Temperature	Warm White
Color Kelvin	3000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.50
Current Output	300


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


IP rating	IP20
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501041918

Image -dimensions





Last modification 2022-12-01

STOW SQ-SL.850
9329501041925



Overview

Family name	Stow
Categories	Stair Lights
Mounting	Recess
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	Silver
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.5
Fixture Width (cm)	8.5
Fixture Height (cm)	2.5
Base Diameter (cm)	7.0
Base Length (cm)	6.5
Base Width (cm)	6.5
Base Height (cm)	0.5

Specification

Voltage Input	240V
Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	200
Color Temperature	Cool White
Color Kelvin	5000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.50
Current Output	300


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501041925

Image -dimensions





Last modification 2022-12-01

STOW SQ-WH.830
9329501041932



Overview

Family name	Stow
Categories	Stair Lights
Mounting	Recess
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	White
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.5
Fixture Width (cm)	8.5
Fixture Height (cm)	2.5
Base Diameter (cm)	7.0
Base Length (cm)	6.5
Base Width (cm)	6.5
Base Height (cm)	0.5

Specification

Voltage Input	240V
Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	200
Color Temperature	Warm White
Color Kelvin	3000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.50
Current Output	300


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501041932

Image -dimensions



Last modification 2022-12-01

STOW SQ-WH.850
9329501041949



Overview

Family name	Stow
Categories	Stair Lights
Mounting	Recess
Usage	Indoor Lighting,Trade Selection

Color / Material

Fixture Color	White
Diffuser Color	Opal
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	8.5
Fixture Width (cm)	8.5
Fixture Height (cm)	2.5
Base Diameter (cm)	7.0
Base Length (cm)	6.5
Base Width (cm)	6.5
Base Height (cm)	0.5

Specification

Voltage Input	240V
Wattage (max)	3
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	200
Color Temperature	Cool White
Color Kelvin	5000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.50
Current Output	300

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Approvals	RCM
Assembly Required	No
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners,Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501041949

Image -dimensions

