

# 14.4w IP20 24v DC 3000K LED Strip




## PRODUCT SPECIFICATIONS

Watts Per Metre	14.4w
Input Voltage	24v DC
Colour Temp	3000K
Beam Angle	120°
IP Rating	IP20
Size	4mm (W) x 2mm (H)
PCB	3oz
CRI	>90
Wiring	Parallel
Dimmable	Yes
LED Chip Type	2216
No. Chips Per Metre	240
Lumens Per Metre	1150lm
Maximum Length	5000mm
Cutting Increments	Every 25mm
Mounting	Aluminium Profile or Heat Sink
Warranty	2 Years Replacement



## DIMENSIONS



## APPROVAL




## IP RATING




## SAMPLE WIRING DIAGRAMS


### Non Dimmable



### Triac Dimmable



## PRODUCT ORDERING

IMAGE	PART NUMBER
	HV9734-IP20-240-3K

For More Information Contact Havit Lighting

143 Beauchamp Road  
Matraville NSW 2036  
Australia

Tel: 02 9381 8300  
Fax: 02 9666 888  
Email: sales@havit.com.au  
Web: www.havit.com.au

# 14.4w IP20 24v DC 4000K LED Strip




## PRODUCT SPECIFICATIONS

Watts Per Metre	14.4w
Input Voltage	24v DC
Colour Temp	4000K
Beam Angle	120°
IP Rating	IP20
Size	4mm (W) x 2mm (H)
PCB	3oz
CRI	>90
Wiring	Parallel
Dimmable	Yes
LED Chip Type	2216
No. Chips Per Metre	240
Lumens Per Metre	1175lm
Maximum Length	5000mm
Cutting Increments	Every 25mm
Mounting	Aluminium Profile or Heat Sink
Warranty	2 Years Replacement



## DIMENSIONS



## APPROVAL




## IP RATING




## SAMPLE WIRING DIAGRAMS

### Non Dimmable



### Triac Dimmable



## PRODUCT ORDERING

IMAGE	PART NUMBER
	HV9734-IP20-240-4K

For More Information Contact Havit Lighting

143 Beauchamp Road  
Matraville NSW 2036  
Australia

Tel: 02 9381 8300  
Fax: 02 9666 888  
Email: sales@havit.com.au  
Web: www.havit.com.au

# 14.4w IP20 24v DC 5500K LED Strip




## PRODUCT SPECIFICATIONS

Watts Per Metre	14.4w
Input Voltage	24v DC
Colour Temp	5500K
Beam Angle	120°
IP Rating	IP20
Size	4mm (W) x 2mm (H)
PCB	3oz
CRI	>90
Wiring	Parallel
Dimmable	Yes
LED Chip Type	2216
No. Chips Per Metre	240
Lumens Per Metre	1200lm
Maximum Length	5000mm
Cutting Increments	Every 25mm
Mounting	Aluminium Profile or Heat Sink
Warranty	2 Years Replacement



## DIMENSIONS



## APPROVAL




## IP RATING




## SAMPLE WIRING DIAGRAMS

### Non Dimmable



### Triac Dimmable



## PRODUCT ORDERING

IMAGE	PART NUMBER
	HV9734-IP20-240-5K

For More Information Contact Havit Lighting

143 Beauchamp Road  
Matrville NSW 2036  
Australia


Tel: 02 9381 8300  
Fax: 02 9666 888  
Email: sales@havit.com.au  
Web: www.havit.com.au

## PRODUCT SPECIFICATIONS

- Watts Per Metre:** 14.4w
- Input Voltage:** 24v DC
- Colour Temp:** 3000k
- CRI:** >90
- Beam Angle:** 120°
- IP Rating:** IP20
- Size:** 10mm x 2mm
- PCB:** 3oz
- Dimmable:** Yes
- LED Chip Type:** 2835
- LED Chips Per Metre:** 80 LED'S
- Lumens Per Metre\*:** 1580lm
- Maximum Length:** 10000mm
- Cutting Increments:** Every 125mm
- Wiring:** Parallel
- Mounting:** Aluminium Profile or Heat Sink
- Warranty:** 2 Years Replacement\*\*



## DIMENSIONS



### IP RATING



### APPROVALS



## Product Ordering


### IMAGE



### PART NUMBER

**HV9782-IP20-80-3K**

### SAMPLE INSTALLATION DIAGRAM



\* Lumens measured @ source

\*\*See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:  
143 Beauchamp Road  
Matraville NSW 2036  
Australia


Tel: 02 9381 8300  
Fax: 02 9666 8881  
Email: sales@havit.com.au  
web: www.havit.com.au

## PRODUCT SPECIFICATIONS

- Watts Per Metre:** 14.4w
- Input Voltage:** 24v DC
- Colour Temp:** 4000k
- CRI:** >90
- Beam Angle:** 120°
- IP Rating:** IP20
- Size:** 10mm x 2mm
- PCB:** 3oz
- Dimmable:** Yes
- LED Chip Type:** 2835
- LED Chips Per Metre:** 80 LED'S
- Lumens Per Metre\*:** 1720lm
- Maximum Length:** 10000mm
- Cutting Increments:** Every 125mm
- Wiring:** Parallel
- Mounting:** Aluminium Profile or Heat Sink
- Warranty:** 2 Years Replacement\*\*



## DIMENSIONS



### IP RATING



### APPROVALS



## Product Ordering


### IMAGE

### PART NUMBER



**HV9782-IP20-80-4K**

### SAMPLE INSTALLATION DIAGRAM



Must be used with a suitable 24v DC LED Driver

\* Lumens measured @ source

\*\*See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:  
143 Beauchamp Road  
Matraville NSW 2036  
Australia


Tel: 02 9381 8300  
Fax: 02 9666 8881  
Email: sales@havit.com.au  
web: www.havit.com.au

## PRODUCT SPECIFICATIONS

- Watts Per Metre:** 14.4w
- Input Voltage:** 24v DC
- Colour Temp:** 5500k
- CRI:** >90
- Beam Angle:** 120°
- IP Rating:** IP20
- Size:** 10mm x 2mm
- PCB:** 3oz
- Dimmable:** Yes
- LED Chip Type:** 2835
- LED Chips Per Metre:** 80 LED'S
- Lumens Per Metre\*:** 1870lm
- Maximum Length:** 10000mm
- Cutting Increments:** Every 125mm
- Wiring:** Parallel
- Mounting:** Aluminium Profile or Heat Sink
- Warranty:** 2 Years Replacement\*\*



## DIMENSIONS



## IP RATING



## APPROVALS



## Product Ordering


### IMAGE

### PART NUMBER



**HV9782-IP20-80-5K**

### SAMPLE INSTALLATION DIAGRAM



Must be used with a suitable 24v DC LED Driver

\* Lumens measured @ source

\*\*See Warranty Terms and Conditions for more information

For more information contact Havit Lighting

ADDRESS:  
143 Beauchamp Road  
Matraville NSW 2036  
Australia

Tel: 02 9381 8300  
Fax: 02 9666 8881  
Email: sales@havit.com.au  
web: www.havit.com.au