
9.6w IP20 12v DC 3000K LED Strip 50m Roll



HAVIT Lighting Watts Per Metre: 9.6w Input Voltage: 12v DC Colour Temp: 3000k 50 Metre IP20 LED **CRI:** >80 Strip Light Beam Angle: 120° HAVIT IP Rating: IP20 50 metres Size: 8mm x 2mm **PCB:** 307 -----Dimmable: Yes LED Chip Type: 3528 LED Chips Per Metre: 120 LED'S Lumens Per Metre*: 780lm Maximum Length: 5000mm Cutting Increments: Every 25mm une cache cache lach and Wiring: Parallel Roll Length: 50m Box Contains 25x Ezi Tail Connectors Mounting: Aluminium Profile or Heat Sink Warranty: 2 Years Replacement** 150±5mm 5000 ± 36 mm 25 ± 0.5 mm 8. $3 \pm 0.5 \text{mm}$ 8±0. <u>a</u>Bairo <u>a</u>Bairo <u>a</u>Bairo <u>a</u>Bairo <u>a</u>Bairo 30″∎ 0 "" B 0.8±0.5mm

Product Ordering



Must be used with a suitable 12v DC LED Driver

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

 Tel:
 02 9381 8300

 Fax:
 02 9666 8881

 Email:
 sales@havit.com.au

 web:
 www.havit.com.au

**See Warranty Terms and Conditions for more information


* Lumens measured @ source

9.6w IP20 12v DC 4000K LED Strip 50m Roll



AVIT Lighting Watts Per Metre: 9.6w Input Voltage: 12v DC Colour Temp: 4000k 50 Metre IP20 LED **CRI:** >80 Strip Light Beam Angle: 120° HAVIT IP Rating: IP20 50 metres Size: 8mm x 2mm **PCB:** 3oz -----Dimmable: Yes LED Chip Type: 3528 LED Chips Per Metre: 120 LED'S Lumens Per Metre*: 820lm Maximum Length: 5000mm Cutting Increments: Every 25mm une excer excer and an Wiring: Parallel Roll Length: 50m Box Contains 25x Ezi Tail Connectors Mounting: Aluminium Profile or Heat Sink Warranty: 2 Years Replacement** 5000 ± 36 mm 150±5mm 25 ± 0.5 mm 200 8.3±0.5mm 8±0. <u>a</u>Bairo <u>a</u>Bairo <u>a</u>Bairo <u>a</u>Bairo <u>a</u>Bairo 30.0 "B=B" • 0 0.8±0.5mm

Product Ordering



Must be used with a suitable 12v DC LED Driver

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

 Tel:
 02 9381 8300

 Fax:
 02 9666 8881

 Email:
 sales@havit.com.au

 web:
 www.havit.com.au

**See Warranty Terms and Conditions for more information


* Lumens measured @ source

9.6w IP20 12v DC 5500K LED Strip 50m Roll



HAVIT Lighting Watts Per Metre: 9.6w Input Voltage: 12v DC Colour Temp: 5500k 50 Metre **CRI:** >80 IP20 LED Strip Light Beam Angle: 120° HAVIT IP Rating: IP20 50 metres Size: 8mm x 2mm **PCB:** 3oz -----**Dimmable:** Yes LED Chip Type: 3528 LED Chips Per Metre: 120 LED'S Lumens Per Metre*: 860lm Maximum Length: 5000mm Cutting Increments: Every 25mm une excer excer and an Wiring: Parallel Roll Length: 50m Box Contains 25x Ezi Tail Connectors Mounting: Aluminium Profile or Heat Sink Warranty: 2 Years Replacement** 150±5mm 5000 ± 36 mm 200 25 ± 0.5 mm 8. $3 \pm 0.5 \text{mm}$ 8±0. <u>a</u>Bairo aBairo abjairo aBairo a 30.0 "" B 0.8±0.5mm

Product Ordering



Must be used with a suitable 12v DC LED Driver

For more information contact Havit Lighting

ADDRESS: 143 Beauchamp Road Matraville NSW 2036 Australia

 Tel:
 02 9381 8300

 Fax:
 02 9666 8881

 Email:
 sales@havit.com.au

 web:
 www.havit.com.au

**See Warranty Terms and Conditions for more information

* Lumens measured @ source