

Last modification 2022-11-29

**SOLITA WB35-AB**  
**9329501049921**



## Overview

<b>Family name</b>	Solita
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>This item includes</b>	Glass
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	Antique Brass,Frost
<b>Fixture Material</b>	Iron,Glass
<b>Canopy Color</b>	Antique Brass
<b>Diffuser Material</b>	Glass
<b>Glass Color</b>	Frost

## Size

<b>Fixture Length (cm)</b>	35.0
<b>Fixture Width (cm)</b>	20.0
<b>Fixture Projection (cm)</b>	8.5

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	12
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	960
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>84
<b>Dimmable</b>	Yes
<b>Current Output</b>	250
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501049921

Image -dimensions

switched CCT





Last modification 2022-11-29

## SOLITA WB35-WH 9329501049945



### Overview

<b>Family name</b>	Solita
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>This item includes</b>	Glass
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	Frost,White
<b>Fixture Material</b>	Iron,Glass
<b>Canopy Color</b>	White
<b>Diffuser Material</b>	Glass
<b>Glass Color</b>	Frost

### Size

<b>Fixture Length (cm)</b>	35.0
<b>Fixture Width (cm)</b>	20.0
<b>Fixture Projection (cm)</b>	8.5

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	12
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	960
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>84
<b>Dimmable</b>	Yes
<b>Current Output</b>	250
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years


Barcode

**GTIN** 9329501049945

Image -dimensions

switched CCT





Last modification 2022-11-29

## SOLITA WB35-NK 9329501049914



### Overview

<b>Family name</b>	Solita
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>This item includes</b>	Glass
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	Frost,Nickel
<b>Fixture Material</b>	Iron,Glass
<b>Canopy Color</b>	Nickel
<b>Diffuser Material</b>	Glass
<b>Glass Color</b>	Frost

### Size

<b>Fixture Length (cm)</b>	35.0
<b>Fixture Width (cm)</b>	20.0
<b>Fixture Projection (cm)</b>	8.5

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	12
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	960
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>84
<b>Dimmable</b>	Yes
<b>Current Output</b>	250
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.


<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501049914

Image -dimensions

switched CCT







Last modification 2022-11-29

**SOLITA WB35-BK**  
**9329501049938**



## Overview

<b>Family name</b>	Solita
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>This item includes</b>	Glass
<b>Switch</b>	Slide Switch
<b>Usage</b>	Indoor Lighting,Trade Selection

## Color / Material

<b>Fixture Color</b>	Black,Frost
<b>Fixture Material</b>	Iron,Glass
<b>Canopy Color</b>	Black
<b>Diffuser Material</b>	Glass
<b>Glass Color</b>	Frost

## Size

<b>Fixture Length (cm)</b>	35.0
<b>Fixture Width (cm)</b>	20.0
<b>Fixture Projection (cm)</b>	8.5

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	12
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	960
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>84
<b>Dimmable</b>	Yes
<b>Current Output</b>	250
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>IP rating</b>	IP20
<b>Approvals</b>	RCM
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

Barcode

**GTIN** 9329501049938

Image -dimensions

switched CCT

