

# 3 WIRE 1 CIRCUIT TRACK ACCESSORIES



## 3 Wire 1-Circuit Track


- Input voltage range: 220-240V/ 16A
- Material: PC and aluminium
- Colour: black and white
- Universal track



TRK1BL1M  
TRK1BL2M



TRK1WH1M  
TRK1WH2M



General Lighting

Part No.	Description	Dimensions	Carton QTY
TRK1BL1M	TRACK 1 Circuit 3 Wire 1M BLK (incl LIVE TRK1BLLIVER & END CAP TRK1BLEND)	L1000xW32.3xH20.3mm	1/20
TRK1BL2M	TRACK 1 Circuit 3 Wire 2M BLK (incl LIVE TRK1BLLIVER & END CAP TRK1BLEND)	L2000xW32.3xH20.3mm	1/20
TRK1WH1M	TRACK 1 Circuit 3 Wire 1M WH (incl LIVE TRK1WHLIVER & END CAP TRK1WHEND)	L1000xW32.3xH20.3mm	1/20
TRK1WH2M	TRACK 1 Circuit 3 Wire 2M WH (incl LIVE TRK1WHLIVER & END CAP TRK1WHEND)	L2000xW32.3xH20.3mm	1/20

## 3 Wire 1-Circuit Track Straight Connectors



TRK1BLCON1




TRK1WHCON1




TRK1BLCON2



TRK1WHCON2




TRK1BLCON1  
TRK1WHCON1




TRK1BLCON2  
TRK1WHCON2

Part No.	Description	Carton QTY
TRK1BLCON1	TRACK 1 Circuit 3 Wire Mini Straight Connector BLK	1/100
TRK1BLCON2	TRACK 1 Circuit 3 Wire Straight Connector BLK	1/100
TRK1WHCON1	TRACK 1 Circuit 3 Wire Mini Straight Connector WH	1/100
TRK1WHCON2	TRACK 1 Circuit 3 Wire Straight Connector WH	1/100


### 3 Wire 1-Circuit Track 'L-Piece' Connectors (Left or right)




TRK1BLCON3R  
TRK1BLCON3L



TRK1WHCON3R  
TRK1WHCON3L



TRK1BLCON3L  
TRK1WHCON3L




TRK1BLCON3R  
TRK1WHCON3R

Part No.	Description	Carton QTY
TRK1BLCON3L	TRACK 1 Circuit 3 Wire L-Piece Connector - LEFT BLK	1/100
TRK1BLCON3R	TRACK 1 Circuit 3 Wire L-Piece Connector - RIGHT BLK	1/100
TRK1WHCON3L	TRACK 1 Circuit 3 Wire L-Piece Connector - LEFT WH	1/100
TRK1WHCON3R	TRACK 1 Circuit 3 Wire L-Piece Connector - RIGHT WH	1/100


### 3 Wire 1-Circuit Track 'T-Piece' Connectors (Left or right)




TRK1BLCON4L1  
TRK1BLCON4L2  
TRK1BLCON4R1  
TRK1BLCON4R2




TRK1WHCON4L1  
TRK1WHCON4L2  
TRK1WHCON4R1  
TRK1WHCON4R2




TRK1BLCON4L1  
TRK1WHCON4L1



TRK1BLCON4L2  
TRK1WHCON4L2






TRK1BLCON4R1  
TRK1WHCON4R1



TRK1BLCON4R2  
TRK1WHCON4R2




Part No.	Description	Carton QTY
TRK1BLCON4L1	TRACK 1 Circuit 3 Wire T-Piece Connector - LEFT1 BLK	1/100
TRK1BLCON4L2	TRACK 1 Circuit 3 Wire T-Piece Connector - LEFT2 BLK	1/100
TRK1BLCON4R1	TRACK 1 Circuit 3 Wire T-Piece Connector - RIGHT1 BLK	1/100
TRK1BLCON4R2	TRACK 1 Circuit 3 Wire T-Piece Connector - RIGHT2 BLK	1/100
TRK1WHCON4L1	TRACK 1 Circuit 3 Wire T-Piece Connector - LEFT1 WH	1/100
TRK1WHCON4L2	TRACK 1 Circuit 3 Wire T-Piece Connector - LEFT2 WH	1/100
TRK1WHCON4R1	TRACK 1 Circuit 3 Wire T-Piece Connector - RIGHT1 WH	1/100
TRK1WHCON4R2	TRACK 1 Circuit 3 Wire T-Piece Connector - RIGHT2 WH	1/100

### 3 Wire 1-Circuit Track 'Cross-Piece' & Elbow Connectors




Part No.	Description	Carton QTY
TRK1BLCON5	TRACK 1 Circuit 3 Wire Cross-Piece Connector BLK	1/100
TRK1BLCON6L	TRACK 1 Circuit 3 Wire Elbow Connector- LEFT BLK	1/100
TRK1BLCON6R	TRACK 1 Circuit 3 Wire Elbow Connector- RIGHT BLK	1/100
TRK1WHCON5	TRACK 1 Circuit 3 Wire Cross-Piece Connector WH	1/100
TRK1WHCON6L	TRACK 1 Circuit 3 Wire Elbow Connector- LEFT WH	1/100
TRK1WHCON6R	TRACK 1 Circuit 3 Wire Elbow Connector- RIGHT WH	1/100

### 3 Wire 1-Circuit Track End Cap & Live End (Left or right )




Part No.	Description	Carton QTY
TRK1BLEND	TRACK 1 Circuit 3 Wire End Cap BLK	1/100
TRK1BLLIVER	TRACK 1 Circuit 3 Wire TRACK LIVE END - LEFT BLK	1/100
TRK1BLLIVER	TRACK 1 Circuit 3 Wire TRACK LIVE END - RIGHT BLK	1/100
TRK1WHEND	TRACK 1 Circuit 3 Wire End Cap WH	1/100
TRK1WHLIVER	TRACK 1 Circuit 3 Wire TRACK LIVE END - LEFT WH	1/100
TRK1WHLIVER	TRACK 1 Circuit 3 Wire TRACK LIVE END - RIGHT WH	1/100

### 3 Wire 1-Circuit Track Installation:



### Installation :






### 3 WIRE 1-CIRCUIT TRACK PENDANT LIGHT ADAPTORS




TRK1BLADAP1



TRK1WHADAP1

- For 3 wire 1 circuit track
- Hold weight: 5kg Max
- M10x16mm
- Colour: black and white
- Warranty: 3 year replacement



Part No.	Description
TRK1BLADAP1	TRACK 1 Circuit 3 Wire Adaptor Hold Weight 5Kg Max M10x16mm BLK
TRK1WHADAP1	TRACK 1 Circuit 3 Wire Adaptor Hold Weight 5Kg Max M10x16mm WH




TRK1BLADAP2



TRK1WHADAP2

- For 3 wire 1 circuit track
- Hold weight: 5kg Max.
- Colour: black and white
- Warranty: 3 year replacement



Part No.	Description
TRK1BLADAP2	TRACK 1 Circuit 3 Wire Square Adaptor Hold Weight 5Kg Max BLK
TRK1WHADAP2	TRACK 1 Circuit 3 Wire Square Adaptor Hold Weight 5Kg Max WH

\*Must be installed by a licenced electrician

# 4 WIRE 3 CIRCUIT TRACK ACCESSORIES




## 4 Wire 3-Circuit Track


- Input voltage range: 220-240V/ 16A
- Material: PC and aluminium
- Colour: black and white
- Universal track



TRK3BL1M  
TRK3BL2M



TRK3WH1M  
TRK3WH2M



General Lighting

Part No.	Description	Dimensions	Carton QTY
TRK3BL1M	TRACK 3 Circuit 4 Wire 1M BLK (incl LIVE TRK3BLLIVER & END CAP TRK3BLEND)	L1000xW35.2xH35.51mm	1/12
TRK3BL2M	TRACK 3 Circuit 4 Wire 2M BLK (incl LIVE TRK3BLLIVER & END CAP TRK3BLEND)	L2000xW35.2xH35.51mm	1/12
TRK3WH1M	TRACK 3 Circuit 4 Wire 1M WH (incl LIVE TRK3WHLIVER & END CAP TRK3WHEND)	L1000xW35.2xH35.51mm	1/12
TRK3WH2M	TRACK 3 Circuit 4 Wire 2M WH (incl LIVE TRK3WHLIVER & END CAP TRK3WHEND)	L2000xW35.2xH35.51mm	1/12

## 4 Wire 3-Circuit Track Straight Connectors



TRK3BLCON1




TRK3WHCON1




TRK3BLCON2



TRK3WHCON2



TRK3BLCON1  
TRK3WHCON1



TRK3BLCON2  
TRK3WHCON2

Part No.	Description	Carton QTY
TRK3BLCON1	TRACK 3 Circuit 4 Wire Mini Straight Connector BLK	1/100
TRK3BLCON2	TRACK 3 Circuit 4 Wire Straight Connector BLK	1/100
TRK3WHCON1	TRACK 3 Circuit 4 Wire Mini Straight Connector WH	1/100
TRK3WHCON2	TRACK 3 Circuit 4 Wire Straight Connector WH	1/100


### 4 Wire 3-Circuit Track 'L-Piece' Connectors (Left or right)




TRK3BLCON3R  
TRK3BLCON3L



TRK3WHCON3R  
TRK3WHCON3L




TRK3BLCON3L  
TRK3WHCON3L



TRK3BLCON3R  
TRK3WHCON3R

Part No.	Description	Carton QTY
TRK3BLCON3L	TRACK 3 Circuit 4 Wire L-Piece Connector - LEFT BLK	1/30
TRK3BLCON3R	TRACK 3 Circuit 4 Wire L-Piece Connector - RIGHT BLK	1/30
TRK3WHCON3L	TRACK 3 Circuit 4 Wire L-Piece Connector - LEFT WH	1/30
TRK3WHCON3R	TRACK 3 Circuit 4 Wire L-Piece Connector - RIGHT WH	1/30


### 4 Wire 3-Circuit Track 'T-Piece' Connectors (Left or right)




TRK3BLCON4L1  
TRK3BLCON4L2  
TRK3BLCON4R1  
TRK3BLCON4R2




TRK3WHCON4L1  
TRK3WHCON4L2  
TRK3WHCON4R1  
TRK3WHCON4R2




TRK3BLCON4L1  
TRK3WHCON4L1



TRK3BLCON4L2  
TRK3WHCON4L2




TRK3BLCON4R1  
TRK3WHCON4R1




TRK3BLCON4R2  
TRK3WHCON4R2

Part No.	Description	Carton QTY
TRK3BLCON4L1	TRACK 3 Circuit 4 Wire T-Piece Connector - LEFT1 BLK	1/30
TRK3BLCON4L2	TRACK 3 Circuit 4 Wire T-Piece Connector - LEFT2 BLK	1/30
TRK3BLCON4R1	TRACK 3 Circuit 4 Wire T-Piece Connector - RIGHT1 BLK	1/30
TRK3BLCON4R2	TRACK 3 Circuit 4 Wire T-Piece Connector - RIGHT2 BLK	1/30
TRK3WHCON4L1	TRACK 3 Circuit 4 Wire T-Piece Connector - LEFT1 WH	1/30
TRK3WHCON4L2	TRACK 3 Circuit 4 Wire T-Piece Connector - LEFT2 WH	1/30
TRK3WHCON4R1	TRACK 3 Circuit 4 Wire T-Piece Connector - RIGHT1 WH	1/30
TRK3WHCON4R2	TRACK 3 Circuit 4 Wire T-Piece Connector - RIGHT2 WH	1/30

### 4 Wire 3-Circuit Track 'Cross-Piece' & Elbow Connectors



TRK3BLCON5




TRK3WHCON5




TRK3BLCON6



TRK3WHCON6




TRK3BLCON5  
TRK3WHCON5



TRK3BLCON6  
TRK3WHCON6

Part No.	Description	Carton QTY
TRK3BLCON5	TRACK 3 Circuit 4 Wire Cross-Piece Connector BLK	1/30
TRK3BLCON6	TRACK 3 Circuit 4 Wire Elbow Connector BLK	1/30
TRK3WHCON5	TRACK 3 Circuit 4 Wire Cross-Piece Connector WH	1/30
TRK3WHCON6	TRACK 3 Circuit 4 Wire Elbow Connector WH	1/30


### 4 Wire 3-Circuit Track Flexible Connector



TRK3BLFLEXCON



TRK3WHFLEXCON



Part No.	Description	Carton QTY
TRK3BLFLEXCON	TRACK 3 Circuit 4 Wire Flexible Connector BLK	1/1
TRK3WHFLEXCON	TRACK 3 Circuit 4 Wire Flexible Connector WH	1/1



### 4 Wire 3-Circuit Track End Cap & Live End (Left or right )



TRK3BLEND




TRK3WHEND




TRK3BLLLEVEL  
TRK3BLLLIVER




TRK3WHLLEVEL  
TRK3WHLLIVER



TRK3BLEND  
TRK3WHEND



TRK3BLLLEVEL  
TRK3WHLLEVEL




TRK3BLLLIVER  
TRK3WHLLIVER

Part No.	Description	Carton QTY
TRK3BLEND	TRACK 3 Circuit 4 Wire End Cap BLK	1/100
TRK3BLLLEVEL	TRACK 3 Circuit 4 Wire TRACK LIVE END - LEFT BLK	1/100
TRK3BLLLIVER	TRACK 3 Circuit 4 Wire TRACK LIVE END - RIGHT BLK	1/100
TRK3WHEND	TRACK 3 Circuit 4 Wire End Cap WH	1/100
TRK3WHLLEVEL	TRACK 3 Circuit 4 Wire TRACK LIVE END - LEFT WH	1/100
TRK3WHLLIVER	TRACK 3 Circuit 4 Wire TRACK LIVE END - RIGHT WH	1/100


### 4 Wire 3-Circuit Track Ceiling Kits




TRK3BLCEILKIT1




TRK3WHCEILKIT1



TRK3BLCEILKIT2




TRK3WHCEILKIT2




Part No.	Description	Carton QTY
TRK3BLCEILKIT1	TRACK 3 Circuit 4 Wire Ceiling Kit With Spring BLK	1/1
TRK3BLCEILKIT2	TRACK 3 Circuit 4 Wire Ceiling Clamp Kit For Track Connection BLK	1/1
TRK3WHCEILKIT1	TRACK 3 Circuit 4 Wire Ceiling Kit With Spring WH	1/1
TRK3WHCEILKIT2	TRACK 3 Circuit 4 Wire Ceiling Clamp Kit For Track Connection WH	1/1

### 4 Wire 3-Circuit Track Installation:



### Installation :







### 4 Wire 3-Circuit Track Pendant Light Adaptors



**TRK3BLADAP3**  
TRACK 3 Circuit 4 Wire Adaptor Big Hold Weight 10Kg Max BLK




**TRK3WHADAP3**  
TRACK 3 Circuit 4 Wire Adaptor Big Hold Weight 10Kg Max WH

- For 4 wire 3 circuit track
- Hold weight: 10kg Max
- Colour: black and white
- To be used with split nipple (Part No. TRK3BL/WHNIPCON sold separately)
- Warranty: 3 year replacement




**TRK3BLADAP4**  
TRACK 3 Circuit 4 Wire Adaptor Small Hold Weight 5Kg Max BLK



**TRK3WHADAP4**  
TRACK 3 Circuit 4 Wire Adaptor Small Hold Weight 5Kg Max BLK

- For 4 wire 3 circuit track
- Hold weight: 5kg Max
- Colour: black and white
- To be used with split nipple (Part No. TRK3BL/WHNIPCON sold separately)
- Warranty: 3 year replacement




### 4 Wire 3-Circuit Track Split Nipple Connector



**TRK3BLNIPCON**  
TRACK 3 Circuit 4 Wire Split Nipple Connector BLK



**TRK3WHNIPCON**  
TRACK 3 Circuit 4 Wire Split Nipple Connector WH




## 4 Wire 3-Circuit Track Suspension Kits



**TRK3BLSUSKIT1**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Kit (With 1.5m Steel Wire) BLK




**TRK3WHSUSKIT1**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Kit (With 1.5m Steel Wire) WH



**TRK3BLSUSKIT2**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Ezclick Kit (With 1.5m Steel Wire) BLK




**TRK3WHSUSKIT2**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Ezclick Kit (With 1.5m Steel Wire) WH



**TRK3BLSUSKIT3**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Rod Kit With M6x1 Metre Threaded Rod  
BLK




**TRK3WHSUSKIT3**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Rod Kit With M6x1 Metre Threaded Rod  
WH




**TRK3BLSUSKIT4**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Ezclick Kit With M6x1 Metre Threaded Rod  
BLK



**TRK3WHSUSKIT4**  
TRACK 3 Circuit 4 Wire Suspension Mount  
Ezclick Kit With M6x1 Metre Threaded Rod  
WH






**TRK3BLSUSKIT5**

TRACK 3 Circuit 4 Wire Suspension Kit  
With Spring (Added With 1.5m Steel  
Wire) BLK



**TRK3WHSUSKIT5**

TRACK 3 Circuit 4 Wire Suspension Kit  
With Spring (Added With 1.5m Steel  
Wire) WH



### **4 Wire 3-Circuit Track Suspension Clamp for Track Connection**




**TRK3BLSUSCLAMP**

TRACK 3 Circuit 4 Wire Suspension  
Clamp For Track Connection BLK



**TRK3WHSUSCLAMP**

TRACK 3 Circuit 4 Wire Suspension  
Clamp For Track Connection WH



\*Must be installed by a licenced electrician